

PRODUCT CATALOGUE

2025



www.wirquin.co.za

wirquin

PLUMBING - SANITARYWARE



PLUMBING - SANITARYWARE

WIRQUIN Manufacturing

2 Brickfields Road, Alexander Park, Kariega - 6229 - SOUTH AFRICA

T: +27 (0)42 243 6000 | Email: enquiries@wirquin.co.za



www.wirquin.co.za

CONTENTS

About us.....	5
Services.....	6
Quality.....	7

Product Range:

TOILET SEATS.....	9
Thermoset.....	14
Thermoplastic.....	22
Spares & Accessorie.....	26

FLUSHING.....	29
Flush Mechanisms.....	29
Inlet Valves.....	33
Flush Kits.....	39
Spares & Accessories.....	45

PAN CONNECTORS.....	47
Jollyflex Flexible.....	49
Standard Flexible.....	50
Rigid.....	50

CISTERNS.....	51
Dual Flush.....	52
Single Flush.....	52

WETROOMS.....	53
Venisio Expert.....	55
Venisio Slim+.....	57
Venisio Slim+ Accessories.....	59
Venisio.....	60

SHOWER.....	63
Shower Waste Ø 90.....	65
Shower Waste Ø 60.....	70
Accessories.....	71

BATH.....	73
Cable Operated.....	77
Quick Clac & Rotary.....	77
Plug & Chain.....	77
Freestanding.....	78
Skirted & Composite.....	79
Traps.....	80
Accessories.....	80

BASIN.....	83
Waste and Trap in one.....	83
Wastes.....	85
Traps.....	89

SINK.....	93
Space Saving Traps.....	93
Basket Strainers.....	94
Accessories.....	95

PIPE & WASTE CONNECTORS.....	99
Pipe Connectors.....	100
Waste Connectors.....	101
Spares & Accessories.....	102

A FRENCH GROUP WITH INTERNATIONAL LOCATIONS

**1977**

CREATION OF THE FIRST
MANUFACTURING UNIT

**10**

SUBSIDIARIES

**5**

PRODUCTION
SITES

**1400**

PEOPLE AROUND
THE WORLD



INNOVATION AT THE HEART OF WIRQUIN'S DNA

Innovation is at the heart of all projects undertaken by Wirquin. Many of our products have gone on to win numerous awards, become best sellers, and are often imitated by competition.

The history of Wirquin is that of creation, forward thinking, development, innovation but all of this would not be enough without the solid foundation of committed people behind the brand.

ABOUT US

Wirquin is an innovative family-owned international Group with over 45 years' expertise in plumbing and sanitaryware products.

True to our values, we put all our creativity and innovation at the service of our planet and its inhabitants by improving living conditions, hygiene and health while saving natural resources and minimizing our ecological footprint.

Because our social, societal and environmental commitments are at the center of our development, they are carried through our brand promise: "Wirquin / Smart For Good":

- Women & men at Wirquin invent with enthusiasm and proudly sell qualitative technical solutions & services related to water cycle, smart & innovative, improving end-users' life comfort, hygiene, and health.
- Our Customer Focus encourages us to constantly seek the satisfaction of the customer, the installer and the end user, by offering products and services that save water, time and space, in the kitchen and bathroom.
- Because we have responsibility, we integrate sustainable practices from the design to the production of our products.

Our mission is to provide you Smart and Sustainable solutions for a better living!



TEAM SPIRIT
CUSTOMER FOCUS
INNOVATION
SUSTAINABILITY
EMPOWERMENT

CUSTOMER SERVICE

Contact Details:

Telephone: +27 (0)42 243 6000

Email: sales@wirquin.co.za | enquiries@wirquin.co.za

www.wirquin.co.za

WIRQUIN Manufacturing; 2 Brickfields Road, Alexander Park, Kariega - 6229
- SOUTH AFRICA

Wirquin works closely with customers of all sizes from distributors (OEM, trade, export, DIY, PRO & retail) to installers and the end user. Every customer is offered tailored product knowledge, technical advice, installation solutions, training, experience, innovation and great customer support throughout each and every project.

National Sales Team



Products can be quickly and easily ordered through our dedicated Sales Team by telephone or email, or please contact a Sales Representative using the contact details on the right .

Technical Support and After Sales Team




Our Technical Support and After Sales teams can assist with specification choices, as well as compliance and installation advice.

Minimum Order and delivery



Please note that there is a minimum order value to any one delivery point.
Certain products can be ordered in pallet quantities.
Please consult with your sales representative on MOQ and values.



INNOVATIONS & QUALITY

Inventors of the dual flush toilet mechanism, our history has been built on the creative force of ideas.

Building on this tradition of creativity, we are committed to a world where hygiene and health are accessible to all, while helping to fight against the climate emergency.

Already committed to ensuring that our activity has a positive impact on the environment, we are accelerating on this path.

Responsible development, in harmony with a corporate citizen approach, will be a lever for innovation, progress and profitable growth. We want to be proud of our development.

Quality

Because Wirquin is committed to quality, our products and customer relations are made to last.

With thorough product testing being critical to ensure problem-free installation and use, Wirquin recently invested in a 100m2 new laboratory with a team of 12 technicians.

Wirquin products come with a:

- > 2-year
- > 5-year
- > or 10-year guarantee


JOLLYFLEX

1992



MAGICFLEX

1998



CHRONO

2014



VENISO SLIM

2015



LOCK⁺

2017



NANO 6.7

2017




WIRQUIN NEO

2019



SLIM⁺

2021



ENVIRONMENTAL & CORPORATE

Our mission

PROVIDE SMART AND SUSTAINABLE SOLUTIONS FOR BETTER LIVING.

Our strength lies in our ability to anticipate customers' requirements and create innovative plumbing solutions and sanitaryware that make users' lives easier and help professionals and installers work more effectively. Our innovations, our products, our services, our solutions are designed to satisfy our customers, improve comfort & hygiene but also limit our environmental impact.

Smart For Good

Our promise

At WIRQUIN, we are creators of products and solutions directly inspired by daily experience in the bathroom and the kitchen: what do you need? What are you missing? Whether you are a user, installer, DIYer or professional...

We observe you and imagine these details that change everything! Our ingenuity combined with our common sense allows us to see things differently and imagine the products of tomorrow.


WIRQUIN products are designed to improve your life: maximize ease of use, save space, minimize installation time and maintenance, and thus promote access to comfort and hygiene. But they are also designed to save resources and reduce our ecological footprint.



**World
Toilet
Organization**



TOILET SEATS



wirquin

THERMOSET (T.U.F.)

THERMOPLASTIC

SPARES & ACCESSORIES

		THERMOSET														
		S-1 Soft Close	S-1	CLUB 90	CLUB	E-2 Soft Close	E-2	CALYPSO	M-1 Soft Close	M-1	H-1	H-1 Soft Close	D-2 Soft Close	COMPACT SQUARE Soft Close	D-1	D-1 Soft Close
HINGE TYPE	Plastic				●		●	●						●	●	●
	Stainless Steel	●	●	●		●			●	●	●	●	●			
	CP BRASS															
HINGE FEATURES	LOCK+	●	●	●	●	●	●	●	●	●	●	●	●			
	TOP FIT	●				●			●		●	●	●	●		●
	QUICK FIT	●	●	●		●			●		●	●	●			
	Soft Close	●				●			●			●	●	●		●
	QUICK RELEASE	●				●			●			●	●	●		●
FIXATION	Plastic				●	●	●	●						●	●	●
	METAL															
	Stainless Steel	●	●	●		●	●		●	●	●	●	●			
APPLICATION	MEDICAL	●	●						●	●	●	●	●	●	●	●
	SPECIAL NEEDS															
	PUBLIC	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	PRIVATE	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	SCHOOL	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	RDP															
PRODUCT FEATURES	HEIGHT ADJUSTABLE		●													
	ANTI-BACTERIAL	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
FINISH	WHITE	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	COLOURS				●				●							
BUFFERS	SEAT	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	LID	4	4	4	4	4	4	4	2	2	2	2	2	4	2	2
DIMS	SEAT WIDTH	347	347	375	375	355	355	370	352	352	355	355	344	345	344	344
	ADJUSTABILITY (Min to Max seat projection)	430-470	450	417-453	422 / 427 / 432	410-440	420 / 437	425 / 441	400 - 440	402-438	430 / 450	420 / 460	375-410	395-415	400-420	400-420
	HINGE HOLE FIT	150-177	145	129-179	110-170	120	144-178	146-191	146-174	140	146-174	75 -170	148-177	137-163	137-163	137-163
	INNER WIDTH	228	228	236	236	227	227	230	231	231	221	221	215	222	214	214
	INNER LENGTH	285	285	278	278	292	292	280	260	260	276	276	267	249	265	265
WEIGHT		2,2 kg	2,2 kg	1.6 kg	1.5 kg	1.4 kg	1.4 kg	1.3 kg	1.7 kg	1.7 kg	1.7 kg	1.7 kg	2.1 kg	2.3 kg	2.4 kg	2.4 kg

		THERMOSET	
		EVEREST	AMIRAL
HINGE TYPE	Plastic		
	Stainless Steel	●	●
	CP BRASS		
HINGE FEATURES	LOCK+	●	●
	TOP FIT	●	●
	QUICK FIT		
	Soft Close	●	●
	QUICK RELEASE	●	●
FIXATION	Plastic		
	METAL	●	●
	Stainless Steel		
APPLICATION	MEDICAL		
	SPECIAL NEEDS		
	PUBLIC	●	●
	PRIVATE	●	●
	SCHOOL	●	●
	RDP		
PRODUCT FEATURES	HEIGHT ADJUSTABLE		
	ANTI-BACTERIAL	●	●
FINISH	WHITE	●	●
	COLOURS		
BUFFERS	SEAT	4	4
	LID	2	2
DIMS	SEAT WIDTH	370	360
	ADJUSTABILITY (Min to Max seat projection)	410-460	435-455
	HINGE HOLE FIT	105-205	130-150
	INNER WIDTH	227	217
	INNER LENGTH	288	282
WEIGHT		2,5Kg	2,2 Kg

		THERMOPlastic			
		EMERALD	NEON	NEON LITE	FAMILY
HINGE TYPE	Plastic	●	●	●	●
	Stainless Steel				
	CP BRASS				
HINGE FEATURES	LOCK+	●			
	TOP FIT				
	QUICK FIT				
	Soft Close				●
	QUICK RELEASE				
FIXATION	Plastic	●	●	●	●
	METAL				
	Stainless Steel				
APPLICATION	MEDICAL				
	SPECIAL NEEDS				
	PUBLIC	●	●	●	●
	PRIVATE	●	●	●	●
	SCHOOL	●	●	●	●
	RDP	●	●	●	
PRODUCT FEATURES	HEIGHT ADJUSTABLE				
	ANTI-BACTERIAL				
FINISH	WHITE	●	●	●	●
	COLOURS		●		
BUFFERS	SEAT	4	0	0	4
	LID	2	0	0	2
DIMS	SEAT WIDTH	385	380	380	385
	ADJUSTABILITY (Min to Max seat projection)	398 / 415 / 432	435 / 452	435 / 452	425-440
	HINGE HOLE FIT	156-192	156-190	156-190	134-188
	INNER WIDTH	230	245	245	221
	INNER LENGTH	280	290	290	270
WEIGHT		1,35Kg	0,9 Kg	0,6Kg	1,4Kg

HOW TO SELECT YOUR PERFECT WIRQUIN TOILET SEAT

1 - APPLICATION

	Application	Assets
THERMOSET	HIGH TRAFFIC PUBLIC PLACES COST EFFECTIVE EVERYDAY USE	Hygienic: Naturally anti-bacterial Scratch, UV & chemical resistant Resilient: Extremely strong & durable
THERMOPLASTIC	HIGH TRAFFIC COST EFFECTIVE EVERYDAY USE	Shatterproof 100% recyclable
MOULDWOOD	EVERYDAY USE	Heavy weight Gloss finish

3 - HINGE TYPE



BOTTOM FIX

Bottom fixing is a traditional type of fitting where the underside of the mounting holes are accessible to allow the tightening of the hinge fixings.



TOP FIX

Top fixing is required when there is a limited/no access to the underside of the hinge mounting holes (blind hole pans).



QUICK RELEASE

Quick release for easy removal of the seat without tools, enabling thorough cleaning for maximum hygiene



SOFT CLOSE

Soft Close incorporating specialist dampers for a gentle, quiet closing action, offering added safety. No more trapped fingers.



LOCK +

Lock+ is a clever innovation that stops seat movement by filling the gap between the bolt and the pan.

Lock+ is included as standard with the Modufix range.


2 - PAN SHAPE AND SIZE

› IDENTIFY YOUR PAN SHAPE



TRADITIONAL
ROUNDED NOSE

- Club
- Emerald
- Neon
- Neon Lite
- E-2
- S-1
- Calypso
- Family




TRADITIONAL
POINTED NOSE

- E-2
- S-1
- H-1
- Family



D-SHAPED


- D-2
- D-1



SQUARE FRONT

- M-1
- Compact Square

› CHECK DIMENSIONS OF THE SEAT AND PAN



A: Distance between the middle of the 2 holes in the pan


B: Width of the pan

C: Projection from the middle of the 2 holes up to the front of the pan.




- › SECURE YOUR SEAT
- › STOP SEAT MOVEMENT
- › INCREASE SEAT LIFESPAN

► *holds the seat in place!*



BEFORE
GAP BETWEEN THE
PAN AND BOLT
LEADS TO A LOOSE
SEAT



AFTER
LOCK +
FILLS THE GAP,
PREVENTING
MOVEMENT

NOW AVAILABLE AS A SPARE

Please note, you should refer to individual seat pages to consider if LOCK+ is compatible. LOCK+ is only compatible when specified and we do not guarantee the fit outside of the specifications.

DESCRIPTION	REFERENCE	EAN 13	MULTIPLE	APPLICATION
 Red LOCK+	20912500	3375539992186	20 per bag	6mm Ø bolts
 Natural LOCK+	20912501	337553999220	20 per bag	8mm Ø bolts

TOILET SEATS

THERMOSET MATERIAL

DESCRIPTION	WEIGHT (KG)	PAGE NUMBER
S-1	2.2	15
CLUB 90	1,6	15
CLUB	1,5	16
E-2	1.4	17
CALYPSO	1.3	17
M-1	1.7	18
H-1	1.7	18
D-2	2.1	19
COMPACT SQUARE	2.3	19
D-1	2.4	20
AMIRAL	2.2	21
EVEREST	2.5	21



OUR SEATS :

› FIT MOST STANDARD PANS

› ARE AVAILABLE WITH A VARIETY OF HINGE TYPES



THERMOSET MATERIAL

Thermoset Seats are manufactured from Transformed Urea Formaldehyde (T.U.F), a dense material noted for its incredible strength and durability. Coupled with anti-bacterial properties make it ideal for high traffic areas such as hospitals and building developments.

RESILIENT

- Extremely strong, durable and hard wearing material

RESISTANT TO SCRATCHES, FLAMES AND CHEMICALS

NATURAL ANTI-BACTERIAL PROPERTIES

SEAT

S-1

Description	WHITE SEAT + COVER	
Reference	20900003	20900002
EAN code	3375539999772	3375539990342
Packaging	Box	Box
Multiples / Pack	1/5	1/5
Weight	2,2 kg	
Hinge	20980001	20718164
Hinge Feature	Soft Close, top fit, quick release, adjustable	quick fit, bottom fix, adjustable
Hinge material	Stainless Steel	Stainless Steel
		
Features and benefits	• Medium to heavy weight thermoset • Hinge - Standard or Soft Close Stainless Steel options • Ideal for household & contract purposes	






DIAGRAM - 20900002
Full dimensional details
per hinge p6



SEAT

CLUB 90

Description	WHITE SEAT + COVER	
Reference	21090001	
EAN code	3375539990618	
Packaging	Box	
Multiples / Pack	1/6	
Weight	1,6 kg	
Hinge	20718164	
Hinge Feature	quick fit, adjustable	
Hinge material	Stainless Steel	
		
Features and benefits	• Medium to heavy weight thermoset • Hinge - Stainless Steel, Quick fit adjustable • Ideal for household & contract purposes in medium traffic areas	



THERMOSET (T.U.F.)

THERMOPLASTIC

SPARES & ACCESSORIES

SEAT

CLUB



Description	WHITE	ALMOND	AVOCADO	BERMUDA BLUE
				
Reference	29998006	29998029	29998032	29998035
EAN code	3375539990274	3375539993701	3375539993732	3375539993763
Packaging	Box			
Multiples / Pack	1/6			
Weight	1,5 kg			
Hinge	89998134	enquire	enquire	enquire
Hinge Feature	colour matched			
Hinge material	Plastic			
Features and benefits	• Medium to heavy weight thermoset • Colour matched Plastic hinge • Ideal for household & contract purposes in medium traffic areas			

► **Please note:** images of colour seats are for guidance only, and may not accurately represent the actual colour



SEAT

E-2

Description	WHITE SEAT + COVER	
Reference	20940020	20900008
EAN code	3375539999307	3375539991592
Packaging	Box	
Multiples / Pack	1/5	
Weight	1,4 kg	
Hinge	20930007	20900500
Hinge Feature		Soft Close, top fit
Hinge material	Plastic	Stainless Steel
		
Features and benefits	• Medium weight thermoset • Hinge - Multiple options available • Ideal for household & contract purposes in medium traffic areas	






DIAGRAM - 20900008
Full dimensional details
per hinge p6



SEAT

CALYPSO

Description	WHITE SEAT + COVER	
Reference	20900001	
EAN code	3375539998201	
Packaging	Box	
Multiples / Pack	1/6	
Weight	1,3 kg	
Hinge	20930003	
Hinge Feature	Through rod	
Hinge material	Plastic	
		
Features and benefits	• Medium weight thermoset • Adjustable colour matched standard hinge (including rod) • Ideal for household & contract purposes in medium traffic areas	



THERMOSET (T.U.F.)

THERMOPLASTIC

SPARES & ACCESSORIES

SEAT

M-1

Description	WHITE SEAT + COVER	
Reference	29998001	20900007
EAN code	3375539990267	337553999055
Packaging	Box	
Multiples / Pack	1/5	
Weight	1,7 kg	
Hinge	20718164	20900500
Hinge Feature	adjustable	Soft Close , adjustable
Hinge material	Stainless Steel	Stainless Steel
		
Features and benefits	• Medium to heavy weight thermoset • Hinge - Standard or Soft Close Stainless Steel • Ideal for household & contract purposes in medium traffic areas	





DIAGRAM - 29998001
Full dimensional details
per hinge p6



Soft Close
Option

SEAT

H-1

Description	WHITE SEAT + COVER	
Reference	29998018	20920000
EAN code	3375539990427	3375539991394
Packaging	Box	
Multiples / Pack	1/5	
Weight	1,7 kg	
Hinge	20900501	20900500
Hinge Feature	top fit, adjustable	Soft Close , adjustable
Hinge material	Stainless Steel	Stainless Steel
		
Features and benefits	• Medium to heavy weight thermoset • Hinge - Standard or Soft Close Stainless Steel • Ideal for household & contract purposes in medium traffic areas	




DIAGRAM - 29998018
Full dimensional details
per hinge p6




Soft Close
Option

SEAT

D-2


Description	WHITE SEAT + COVER
Reference	29998026
EAN code	3375539992650
Packaging	Box
Multiples / Pack	1/5
Weight	2,1 kg
Hinge	20980001
Hinge Feature	top fit, quick release, Soft Close, adjustable
Hinge material	Stainless Steel
	
Features and benefits	• Heavy Duty ThermoSet • Hinge - Stainless Steel, Top fit, Quick release, Soft Close • Ideal for household & contract purposes in medium traffic areas



SEAT

COMPACT SQUARE

Description	WHITE SEAT + COVER
Reference	29998024
EAN code	3375539991875
Packaging	Box
Multiples / Pack	1/5
Weight	2,3 kg
Hinge	Pre-assembled
Hinge Feature	Soft Close
Hinge material	Plastic
Features and benefits	• Heavy Duty ThermoSet • Hinge - Plastic, Top fit, Quick release, Soft Close • Ideal for household & contract purposes in medium traffic areas



SEAT

D-1

Description	WHITE SEAT + COVER	
Reference	20911000	29998023
EAN code	3375539992056	3375539991837
Packaging	Box	Box
Multiples / Pack	1/5	1/5
Weight	2,4 kg	2,4 kg
Hinge	170887	Pre-assembled
Hinge Feature	bottom fit	top fit, quick release, Soft Close, adjustable
Hinge material	Plastic	Plastic
Features and benefits	- Heavy Duty Thermoset - Ideal for household & contract purposes in medium traffic areas	





DIAGRAM - 29998023
Full dimensional details
per hinge p6

SOFT CLOSE TOILET SEATS

HYGIENIC:

Limits contact with the toilet seat

ACOUSTIC COMFORT:

No risk of the seat or cover slamming

CHILD SAFETY:

Removes the risk of pinched fingers




SOFT CLOSE

SEAT

AMIRAL

Description	WHITE SEAT + COVER
Reference	20721280
EAN code	3375537212095
Packaging	Box
Multiples / Pack	1/4
Weight	2,2 kg
Hinge	Pre-assembled
Hinge Feature	Top Fit, Quick Release, Soft Close
Hinge material	Stainless Steel
Features and benefits	• Slimline - D-Shape • Hinge - Stainless Steel, Top fit, Quick release, Soft Close • Ideal for household & contract purposes in medium traffic areas



SEAT

EVEREST

Description	WHITE SEAT + COVER
Reference	20120729
EAN code	5017134149234
Packaging	Box
Multiples / Pack	1/5
Weight	2,5 kg
Hinge	Pre-assembled
Hinge Feature	Top Fit, Quick Release, Soft Close
Hinge material	Stainless Steel
	
Features and benefits	• Heavy Duty Thermoset • Hinge - Plastic, Top fit, Quick release, Soft Close • Ideal for household & contract purposes in medium traffic areas



TOILET SEATS


THERMOPLASTIC MATERIAL

DESCRIPTION	WEIGHT (KG)	PAGE NUMBER
NEON LITE	0,6	23
NEON	0,9	23
EMERALD	1,35	24
FAMILY - CHILD SEAT	1,3	25



OUR SEATS :

- > FIT MOST STANDARD PANS
- > ARE AVAILABLE WITH A VARIETY OF HINGE TYPES



THERMOPLASTIC MATERIAL


ThermoPlastic material is a tough polypropylene. It is the perfect choice for a wide range of everyday applications - especially when the priority is cost effectiveness.

SHATTERPROOF
LONGLASTING
COST EFFECTIVE
100% RECYCLABLE

SEAT

NEON LITE

Description	WHITE SEAT + COVER
Reference	20910003
EAN code	3375539998225
Packaging	Box
Multiples / Pack	1/12
Weight	0,6 kg
Hinge	20930007
Hinge Feature	adjustable
Hinge material	Plastic
	
Features and benefits	• Material: ThermoPlastic • Cost effective medium duty seat, ideal for refurbishment • Contemporary overlaying cover • No buffers - Ceramic hugging effect adds strength and stability.




BOTTOM FIX

YEARS WARRANTY
2

SEAT

NEON

Description	WHITE SEAT + COVER
Reference	20910002
EAN code	3375539998218
Packaging	Box
Multiples / Pack	1/6
Weight	0,9 kg
Hinge	20930007
Hinge Feature	adjustable
Hinge material	Plastic
	
Features and benefits	• Material: ThermoPlastic • Cost effective medium duty seat, ideal for refurbishment • Contemporary overlaying cover • No buffers - Ceramic hugging effect adds strength and stability.



BOTTOM FIX

YEARS WARRANTY
2



THERMOSET (T.U.F.)

THERMOPLASTIC


SPARES & ACCESSORIES

SEAT EMERALD

Description	WHITE SEAT + COVER
Reference	20931020
EAN code	3375539990120
Packaging	Box
Multiples / Pack	1/5
Weight	1,35 kg
Hinge	20930007
Hinge Feature	adjustable
Hinge material	Plastic
	
Features and benefits	• Material: ThermoPlastic • Medium to heavy duty high traffic areas seat • Hinge - Multiple options available • Integrated buffers for added strength and stability






UPGRADEABLE
to Stainless Steel
Hinges
(Sold separately)



20931005

SEAT FAMILY

Description	WHITE SEAT + COVER + CHILD SEAT
Reference	20719572
EAN code	3375537195008
Packaging	Box
Multiples / Pack	1/4
Weight	1,4 kg
Hinge	pre-assembled
Hinge Feature	top fit, quick release, Soft Close
Hinge material	Plastic
Features and benefits	• CHILDREN SAFETY: Integrated child reducer with 2 magnets on the cover • Perfectly meets educational purposes for young children • Soft Close seat will provide acoustic comfort & prevent trapped fingers • Its universal fitting will fits most standard pans • ThermoPlastic materail is shatterproof • Successfully tested for 10 000 open and close cycles








THERMOSET (T.U.F.)

THERMOPLASTIC

SPARES & ACCESSORIES

HINGES







Description	STAINLESS STEEL, TOP FIT, QUICK RELEASE SOFT CLOSE HINGE PACK (M7)	STAINLESS STEEL, TOP FIT, QUICK RELEASE SOFT CLOSE HINGE PACK (M6)	STAINLESS STEEL, TOP FIT, ADJUSTABLE HINGE ASSEMBLY	STAINLESS STEEL, QUICK FIT, ADJUSTABLE HINGE ASSEMBLY	STAINLESS STEEL, QUICK FIT, FIXED HOOK HINGE ASSEMBLY
Reference	20900500	20980001	20900501	20718164	20931005
EAN code	3375539999079	3375539998942	3375539990953	3375539999086	3375539999116
Packaging	Bag	Bag	Bag	Bag	Bag
Multiples / Pack	1/1	1/1	1/1	1/1	1/1
Fixation type	Top Fit	Top Fit	Top Fit	Quick Fit	Quick Fit
Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Seat names/ references	20930004 (M-1) 20920000 (H-1) 20900008 (E-2)	20930001 (S-1) 29998026 (D-2)	20940006 (H-1)	20930005 (M-1) 21090001 (CLUB 90)	20930002 (S-1)
Lock +	 Included	 Included	 Included	 Included	 Included
Technical Drawing					

HINGES

LOCK+



Description	PLASTIC HINGE ASSEMBLY WITH ROD, WHITE	CLUB TOILET SEAT HINGE SET - WHITE (PLASTIC)	PLASTIC STANDARD CLOSE HINGE ASSEMBLY WHITE (#1)	D-1 STANDARD CLOSE HINGE SET PLASTIC - WHITE
Reference	20930003	89998134	20930007	170887
EAN code	3375539999093	3375539999123	3375539999130	3375539999223
Packaging	Bag	Bag	Bag	Bag
Multiples / Pack	1/1	1/1	1/1	1/1
Fixation type	Standard Fit	Standard Fit	Standard Fit	Standard Fit
Material	ABS - PP	PP	PP	PP
Seat names/ references	20900001 (CALYPSO)	CLUB SEAT ONLY	20940020 (E-2) 20931020 (EMERALD) 20910002 (NEON) 20910003 (NEON LITE)	20911000 (D-1)
Lock +	 Included	 Included	-	 Included
Technical Drawing				

LOCK+ 6MM RED - 20 PACK	LOCK+ 8MM NATURAL - 20 PACK
20912500	20912501
33755399992186	3375539999220
Bag	Bag
20/1	20/1

**A SEAT FOR
EVERYONE!**


EXTENSIVE RANGE

**WE SUPPLY QUALITY TOILET SEATS IN A RANGE OF
MATERIALS, SHAPES & SIZES WITH A VARIETY OF
FEATURES & BENEFITS.**



wirquin | *Smart
For Good*

FLUSH MECHANISMS



wirquin


FLUSH MECHANISMS

	NAME	REFERENCE	CISTERN		CONTROL MECHANISM				INLET VALVE		COMMENTS- PRODUCT FEATURES
			HEIGHT IN MM	HOLE DIAMETER IN MM	CABLE	LID-LOCK	MECHANICAL	FRONT FLUSH	SERVO- VALVE	LEVER	
SENSOR FLUSH	JOLLYTRONIC + MW2 infra-red sensor flush	10921010	300 to 420	30 to 45	●						NO TOUCH - hygienic Infra-red sensor Adjustable to the height of the cistern(cable)
DUAL FLUSH	EASY CLIC	10931000	300 to 420	14 to 46	●						No need to remove the tank to install
	MW2 + BIBO ADAPTOR	10931001	300 to 420	14 to 46	●						Adjustable to the height of the cistern(cable)
	MW2 EXTENDABLE 1½”	19998027	300 to 420	14 to 46	●						Adjustable to the height of the cistern(cable)

EASY CLIC

FLUSH MECHANISM

INSTALL WITHOUT REMOVING THE CISTERN



Description	EASY CLIC UNIVERSAL DUAL FLUSH MECHANISM	
Reference	10931000	10921000
EAN code	3375539990403	3375539990434
Packaging	Box	Blister
Multiples / Pack	1 / 8	1 / 6
Suitable cistern height (mm)	300 - 420	
Flush rate l/sec	2.2	
Button diameter	14 - 46	
Mechanism outlet (inches)	Universal	
Water saving	Dual flush	
Control system	Cable control	
Top or front mechanism	Top or front	
Main characteristics	Water saving due to the adjustable overflow (240 to 270mm)	



QUICK INSTALLATION

- Without disassembling the cistern



WATER SAVING

- Dual flush button



INNOVATIVE SEALING

- The gasket ensures perfect sealing and allows instant filling of the cistern (no drying or waiting time required)



No more
having to cut
rusty cistern
fixation bolts

PATENTED SYSTEM

- With its patented system, EASY CLIC attaches directly over the existing installation without removing the tank

FLUSH MECHANISMS

INLET VALVES

FLUSH MECHANISM
+ INLET VALVE KITS

ACCESSORIES


CABLE OPERATED

NO TOUCH SENSOR FLUSH



Description	EASY CLIC UNIVERSAL DUAL FLUSH MECHANISM		MW2 EXTENDABLE 2" + ZA BIBO ADAPTOR		MW2 EXTENDABLE 1½"	JOLLYTRONIC + MW2 INFRA-RED SENSOR FLUSH MECHANISM
Reference	10931000	10921000	10931001	19998003	19998027	10921010
EAN code	3375539990403	3375539990434	3375539990571	3375539990137	3375539991325	3375539990786
Packaging	Box	Blister	Box	Blister	Bag	Blister
Multiples / Pack	1 / 8		1 / 12		1 / 12	1 / 6
Suitable cistern height (mm)	300 - 420		300 - 420		300 - 420	300 - 420
Flush rate l/sec	2.2		2.2			2.2
Button diameter (mm)	14 - 46		14 - 46		14 - 46	30 - 46
Mechanism outlet (mm)	Universal		Ø 60		Ø 50	Ø 60
Water saving	Dual flush		Dual flush		Dual flush	Sensor flush
Control system	Cable control		Cable control		Cable control	Cable control
Top or front mechanism	Top or front		Top or front		Top or front	Top
Main characteristics	Water saving due to the adjustable overflow (240 to 270mm)		Water saving due to the adjustable overflow (240 to 270mm)		Water saving due to the adjustable overflow (240 to 270mm)	Infra-red sensor hygienic - no touch
Technical drawing						

INLET VALVES





wirquin

INLET VALVES

	NAME	REFERENCE	HEIGHT IN MM	INSTALLED WIDTH IN MM	CONNECTION	FLOW RATE AT 3 BAR	FUNCTIONING RANGE IN BAR	FILLING TIME IN SECONDS	ACOUSTICS IN DB	ANTI-SIPHONIC	COMMENTS- PRODUCT FEATURES
DUAL INLET	DOBLO	10932000	20-311	106	1/2" PLASTIC	11,0 L/min (Side inlet) 10,0 L/min (Bottom inlet)	0,20 to 16	27	17	●	Dual entry - Side or bottom telescopic Water saving - Approximate saving of 7L water per day (based on a family of 4).
BOTTOM INLET	JOLLYFILL	10932001	280	100	1/2" PLASTIC	11,6 L/min	0,10 to 16	27	17	●	Anti-water hammer and surge protection. (up to 16 bar). Low noise levels.
	JOLLYFILL TELESCOPIC	10932002	250-390	110	1/2" PLASTIC	11,6 L/min	0,10 to 16	27	17	●	Anti-water hammer and surge protection.(up to 16 bar). Low noise levels. Overtightening protection.
	JOLLYFILL TELESCOPIC Brass inlet	16110011	250-390	110	3/8" BRASS	10,3 L/min	0,10 to 16	35	17	●	Anti-water hammer and surge protection.(up to 16 bar). Low noise levels. Overtightening protection.
SIDE INLET	JOLLYFILL	10932010	259	105	1/2" PLASTIC	8,4 L/min	0,10 to 16	43	17	●	Ultra compact. Ideal for narrow cisterns.
	TOPY 1/2" plastic inlet	16300601	180	90	1/2" PLASTIC	8,4 L/min	0,10 to 14	43	20	●	Ultra compact. Ideal for narrow cisterns.
	TOPY 3/8" brass inlet	16300501	180	90	3/8" BRASS	8,4 L/min	0,10 to 14	43	20	●	Ultra compact. Ideal for narrow cisterns.

DOBLO

DUAL ENTRY inlet valve BOTTOM OR SIDE ENTRY



DOBLO inlet valve fits **ALL WATER SUPPLIES**: bottom or side entry, thanks to its interchangeable inlet. In addition, its **DELAYED ACTION TECHNOLOGY** saves up to 7L per day.



DUAL ENTRY INLET
• Bottom or side entry



WATER SAVING
• Delayed action filling




QUICK AND EASY TO INSTALL AND MAINTAIN:
• Easy to adjust float level

Description	DOBLO INLET VALVE
Reference	10932000
Ean code	3375539990779
Packaging	box
Multiple / box qty	01 / 12
Type	servo-valve
Entry	side or bottom telescopic - plastic inlet 1/2"
Pressure	from 0,2 to 16 bar. Resists pressure spikes of up to 20 bar.
Adjustment	Water level adjustment with a screw. Telescopic height adjustment.
Main characteristics	Dual entry - Side or bottom telescopic, Water saving - Approximate saving of 7L water per day (based on a family of 4).

JOLLYFILL

HIGH PERFORMANCE inlet valves

BOTTOM, TELESCOPIC AND SIDE ENTRY



The **JOLLYFILL** is compact and ideal for small cisterns. It is fast filling and quick closing.

The **telescopic JOLLYFILL** utilises a patented system, which avoids breaking the inlet valve body, in case of unreasonable tightening.

The **side entry JOLLYFILL** with 180° head rotation allows installation in narrow tanks.



WATER SAVING

- Delayed action filling



QUICK AND EASY TO INSTALL AND MAINTAIN:


- Easy to adjust float level

BOTTOM ENTRY INLET VALVES




Description	DOBLO DUAL ENTRY 1/2" INLET FLOAT VALVE		JOLLYFILL BOTTOM ENTRY 1/2" INLET FLOAT VALVE			JOLLYFILL TELESCOPIC BOTTOM ENTRY 1/2" INLET FLOAT VALVE		JOLLYFILL TELESCOPIC BOTTOM ENTRY 3/8" INLET FLOAT VALVE
Reference	10932000	10922000	10932001	19998004	16100006	10932002	19998036	16110011
Ean code	3375539990779	3375539990779	3375539990588	3375539990144	3375537136759	3375539990724	33375539991141	3375537150441
Packaging	Box	Blister	Box	Blister	Bag	Box	Blister	Bag
Multiple / box qty	1 / 12	1 / 16	1 / 12	1 / 16	1 / 36	1 / 12	1 / 16	1 / 36
Inlet end	1/2" Plastic		1/2" Plastic			1/2" Plastic		3/8" Brass
Filling rate @ 0,1 bar	11 L/min @ 3 bar (side) 10 l/min @ 3 bar (bottom)		4.1 L/min			3.1 L/min		1.6 L/min
Functioning range	0.1 Up to 16 bar		0.1 Up to 16 bar			0.1 Up to 16 bar		0.1 Up to 16 bar
Water level adjustment	Screw		Screw			Screw		Screw
Main characteristics	"Dual entry - side or bottom telescopic water saving - delayed action"		"Ultra quiet (17 decibels) anti-siphoning eliminates water hammer"			"Patented system against unreasonable tightening ultra quiet (17 decibels) anti-siphoning eliminates water hammer"		
Technical drawing								

SIDE ENTRY INLET VALVES



Description	JOLLYFILL SIDE ENTRY 1/2" INLET FLOAT VALVE			TOPY SIDE ENTRY 1/2" INLET FLOAT VALVE	TOPY SIDE ENTRY 3/8" INLET FLOAT VALVE
Reference	10932010	19998024	16300101	16300601	16300501
Ean code	3375539990717	3375539990601	3375537150151	3375537160815	3375537161140
Packaging	Box	Blister	Bag	Bag	Bag
Multiple / box qty	1 / 8	1 / 8	1 / 36	1 / 40	1 / 40
Inlet end	1/2" plastic			1/2" plastic	3/8" brass
Filling rate @ 0,1 bar	3.8 L/min			1.5 L/min	1.3 L/min
Functioning range	0.1 up to 16 bar			0.1 up to 14 bar	0.1 up to 14 bar
Water level adjustment	Screw			Float rotation	Float rotation
Main characteristics	180° head rotation ideal for narrow tanks. Ultra quiet (17 decibels), Anti-siphoning, Eliminates water hammer			Ultra compact, Anti-siphoning	Special for Uni Compact cistern, Ultra compact, Anti-siphoning
Technical drawing					

FLUSH KITS




wirquin

MECHANISMS + INLET VALVE FLUSHING KITS

	NAME	REFERENCE	CISTERN		CONTROL MECHANISM				INLET VALVE		COMMENTS- PRODUCT FEATURES
			HEIGHT IN MM	HOLE DIAMETER IN MM	CABLE	LID-LOCK	MECHANICAL	FRONT FLUSH	SERVO- VALVE	LEVER	
DUAL FLUSH	MW2 + JOLLYFILL TELESCOPIC BI	10930003	300 to 420	14 to 46	●				●		Adjustable to the height of the cistern(cable)
	MVB ³ + JOLLYFILL BI	14010801	295 to 475	14 to 46	●				●		Adjustable to the height of the cistern(cable)
	MW2 2" + JOLLYFILL SI	19998017	305 to 405	14 to 46	●				●		Adjustable to the height of the cistern(cable)
SINGLE FLUSH SPECIFIC	MDJF + JOLLYFILL BI	19998045	305 to 405	14 to 46	●				●		Adjustable to the height of the cistern(cable)
	MXJF + JOLLYFILL BI	10930004	305 to 405					●	●		CP BRASS Front flush handle
	MXJF + JOLLYFILL BI	10930010	305 to 405					●	●		CP ABS Front flush handle
	MXJF + JOLLYFILL BI, LL	10000003	305 to 405					●	●		CP ABS Front flush handle
	MXJF + TOPY SI	19998041	305 to 405					●	●		CP ABS Front flush handle
	MXJF + JOLLYFILL BI, SCC	19998039	305 to 405					●	●		CP ABS Front flush handle

MW2 DUAL FLUSH KITS




Description	MW2 EXTENDABLE 2" + JOLLYFILL TELESCOPIC, BOTTOM INLET, CLOSE COUPLE		MW2 EXTENDABLE 2" + JOLLYFILL BOTTOM INLET, CLOSE COUPLE		MW2 EXTENDABLE 2" + JOLLYFILL SIDE INLET, CLOSE COUPLE
Reference	10930003	14010401	14010801	19998034	10930000
Ean code	3375539990489	3375537139736	3375537144655	3375539991127	3375539991332
Packaging	Box	Bag	Bag	Blister	Bag
Multiple / box qty	1 / 8	1 / 25	1 / 25	1 / 7	1 / 25
Height of cisterns mm	300 - 420		300 - 420		300 - 420
Flush rate l/sec	2.2		2.2		2.2
Button diameter (mm)	14 - 46		14 - 46		14 - 46
Mechanism base (mm)	Ø 60		Ø 60		Ø 60
Water saving	Dual flush		Dual flush		Dual flush
Control system	Cable control		Cable control		Cable control
Mechanism	Top or front flush		Top or front flush		Top or front flush
Main characteristics	Water saving due to the adjustable overflow (240 to 270mm)		Water saving due to the adjustable overflow (240 to 270mm)		Water saving due to the adjustable overflow (240 to 270mm)
Technical drawing					

MW2 DUAL FLUSH KITS



Description	UNIVERSAL DUAL FLUSH KIT 2" + CC SISO MW2 EXT FLUSH + JF SIDE INLET
Reference	10930000
Ean code	3375539991332
Packaging	Bag
Multiple / box qty	1 / 25
Inlet end	300 - 420
Filling rate @ 0,1 bar	2.2
Button diameter (mm)	14 - 46
Mechanism base (mm)	Ø 60
Water saving	Dual flush
Control system	Cable control
Mechanism	Top or front flush
Main characteristics	Water saving due to the adjustable overflow (240 to 270mm)



Technical drawing


MD TOP FLUSH KIT

MX FRONT FLUSH KITS



Description	MD TOP FLUSH MECH 2" + JOLLYFILL BI, CLOSE COUPLE	MX FRONT FLUSH MECH 1 ½" + JOLLYFILL BI, CLOSE COUPLE, CP HANDLE	MX FRONT FLUSH MECH 2" + JOLLYFILL BI, CLOSE COUPLE		
Reference	19998045	10930004	10930010	19998035	19998052
ean code	3375539991523	3375539991486	3375539992346	3375539991134	3375539992346
Packaging	Box	Bag	Box	Blister	Bag
Multiple / box qty	1 / 25	1 / 28	1 / 8	1 / 7	Bulk only - 1 / 28
height of cisterns mm	305 - 405	305 - 405	305 - 405		
Mechanism base (mm)	Ø 60	Ø 50	Ø 60		
Water saving	Single flush	Single flush	Single flush		
Control system	Cable control	Handle	Handle		
Top or front mechanism	Top or front	Front	Front		
Main characteristics	Easy installation	Easy installation	Easy installation		
Technical drawing					

MX FRONT FLUSH KITS



Description	MX FRONT FLUSH MECH 2" + JOLLYFILL BI, LOW LEVEL	MX FRONT FLUSH MECH 2" + TOPY SI, LOW LEVEL	MX FRONT FLUSH MECH 2" + JOLLYFILL BI, SEMI CLOSE COUPLE
Reference	10000003	19998041	19998039
ean code	3375539992346	3375539991455	3375539991417
Packaging	Bag	Bag	Bag
Multiple / box qty	1 / 20	1 / 20	1 / 20
height of cisterns mm	305 - 405	305 - 405	305 - 405
Mechanism base (mm)	Ø 60	Ø 60	Ø 60
Water saving	SINGLE FLUSH	SINGLE FLUSH	SINGLE FLUSH
Control system	HANDLE	HANDLE	HANDLE
Top or front mechanism	FRONT	FRONT	FRONT
Main characteristics	Easy installation	Easy installation	Easy installation
Technical drawing			

FLUSH MECHANISMS ACCESSORIES



Description	JOLLYTRONIC ACTIVATOR (1 PACK)	M25 (3 PACK)*	M32 (5 PACK)	M32 CLOSE COUPLE SEALING ASHER 2" (1 PACK)	TAILPIECE ASSEMBLY LOW LEVEL (1 PACK)	GREY DUAL FLUSH CABLE ASSEMBLY - 354MM (2 PACK)	FRONT FLUSH LIFTING CLIP (1 PACK)
Reference	10923010	10934002	89998119	10904002	89998033	10934006	10904001
Ean code	3375539990250	3375539990236	3375539991318	3375539991615	3375539992742	3375539990298	3375539993936
Packaging	Blister	Blister	Bag	Bag	Loose	Blister	Bag
Qty	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 6	1 / 1
Technical drawing							

FLUSH MECHANISMS ACCESSORIES



Description	MW2 DUAL FLUSH CHROME PLATED (1 PACK)	MW2 DUAL FLUSH BRONZE PLATED (1 PACK)	MW2 DUAL FLUSH BLACK TOUCH (1 PACK)	MD SINGLE FLUSH CP (1 PACK)	JOLLYFILL/TOPY DIAPHRAGM WASHER (3 PACK)*	DOBLO HEADPART ASSEMBLY (1 PACK)	DOBLO DIAPHRAGM WASHER (20 PACK)
Reference	89998138	89998363	10914002	19007001	10934003	10934008	10934009
Ean code	3375539991561	3375539997440	3375539992070	3375539046216	3375539990205	3375539991530	3375539990205
Packaging	Blister	Blister	Blister	Skin	Blister	Bag	Bag
Qty	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Technical drawing							

*(Accessories also available in various quantities)

CISTERN FIXATION SCREWS



Description	CISTERN COUPLING BOLT SET M21 (1 PACK)	PAN/BIDET FIXATION SCREWS (1 PACK)	1/2" CISTERN STOPPER (1 PACK)	FLUSH PIPE BUNG CONNECTOR BLACK (PAN55MM X 43MM F/PIPE) (1 PACK)		FLUSHPIPE BUNG CONNECTOR (PAN 55MM, 32+40 PIPE) (1 PACK)	FLUSHPIPE 2" TO 43MM, 90 DEG. INCL. CONICAL WASHER (1 PACK)
Reference	10934004	10934005	19015001	89998265	89998266	RA375	89998095
Ean code	3375539990366	3375539990281	3375539061516		3375539990014	3375536005568	3375539991189
Packaging	Blister	Blister	Bag	Loose	Bag	Loose	Loose
Qty	1	1	1	1	24	5	1
Technical drawing							

HANDLES



URINAL ACCESSORIES



Description	FRONT FLUSH HANDLE KIT WHITE ABS (1 PACK)	FRONT FLUSH HANDLE KIT CHROME ABS (1 PACK)	LOUIS URINAL ADAPTOR - WHITE (1 PACK)
Reference	89998101	10903000	89998043
Ean code	3375539993862	3375539992322	3375539998379
Packaging	Bag	Bag	Bulk
Qty	1	1	1
Technical drawing			

PAN CONNECTORS



wirquin

WC PAN CONNECTORS

RANGE OF PAN CONNECTORS



› FLEXIBLE:

Smooth Inner wall in compliance with SANS 10400
 Pan seal conforms to SANS 974-1
 Provides flexible solution (for difficult to reach installations)
 The only leak free guaranteed solution for back to wall pans
 Eliminates the need to use two different solid pipes to make a joint
 Negates the need to cut rigid pipes
 Removable fins, allowing universal connection (solvent and push fit)
 Supplied glued and sealed, ready to fit.
 Available in 3 length variants.

› RIGID AND FLEXIBLE OPTIONS AVAILABLE

› EXTENDABLE:

Provides both an extendable and flexible solution
 Eliminates the need to use two different solid pipes to make a joint
 Negates the need to cut rigid pipes
 Extendable from 230mm to 630mm (extendable elbow option)
 Removable fins, allowing universal connection (solvent and push fit)

JOLLYFLEX FLEXIBLE



Description	EXTRA SHORT WITH FINS - 215 TO 320MM	SHORT WITH FINS - 240 TO 390MM	FLEXIBLE LONG VERSION FIN MODEL 320MM TO 540MM	EXTENDABLE PAN CONNECTOR WITH FINS
Reference	71080201	71080102	71080002	71230000
Ean code	3375539050046	3375539067853	3375539067860	3375539070389
Packaging	Film	Film	Film	Film
Multiple / boxed quantity	1 / 20	1 / 15	1 / 12	1 / 28
Length mm	215 - 320	240 - 390	320 - 540	230 - 550
Pan outlet mm	80 - 105	80 - 105	80 - 105	80 - 105
Drain connector mm	Fitted outlet, 104 - 110	Fitted outlet, 104 - 110	Fitted outlet, 104 - 110	Fitted outlet, 104 - 110
Technical drawing				



Conformss to SANS 4633 and SANS 10400

STANDARD FLEXIBLE



RIGID




Description	STRAIGHT PAN CONNECTOR WITH FINS		OFFSET PAN CONNECTOR WITH FINS	90° PAN CONNECTOR WITH FINS	SWAN NECK PAN CONNECTOR WITH FINS
Reference	71150000	70930001	71160000	71240001	71240201
Ean code	3375536018476	3375539998754	3375536022367	3375537130672	3375537130696
Packaging	Bag	Bulk	Bag	Bulk	Bulk
Multiple / boxed quantity	1 / 24	1 / 1	1 / 24	1 / 8	1 / 8
Length mm	100 < 105		100 < 105	260 < 650	350
Pan outlet mm	100 < 110		100 < 110	80 < 105	85 < 105
Drain connector mm	-		-	Fitted outlet 104 < 110, To be glued 93 / 100 / 110	Fitted outlet 104 < 110
Technical drawing					



Conformsto SANS 4633 and SANS 10400

CISTERNS



wirquin

CISTERNS

PREMIER DUAL FLUSH







CLASSIC FRONT FLUSH





Description	DUAL FLUSH CISTERN LL SISO		DUAL FLUSH CONTRACTORS PACK	FRONT FLUSH CISTERN LL SISO	FRONT FLUSH CONTRACTORS PACK
Reference	59998002	59998004	59998001	59998006	71240201
Ean code	3375539990762	3375539991219	3375539990755	3375539991202	3375537130696
Packaging	Individually boxed	Contractors pack	Individually boxed	Contractors pack	Bulk
Multiple / box qty	1 / 5	5 / 1	1 / 5	5 / 1	1 / 8

Technical drawing



WETROOMS

THE NEW GENERATION OF
WETROOM CHANNELS



wirquin

CHANNELS

	REFERENCE	DIMENSIONS IN MM	HEIGHT IN MM	WATER SEAL	FLOW RATE L/MIN	CONNECTIONS	OUTLET		WATER PROOFING	ADDITIONAL PRODUCTS	HEIGHT ADJUSTMENT	FINISHES
							HORIZONTAL	VERTICAL				
VENISIO EXPERT 700mm	30717816	700	89	50	79l/min	2 x 50 male 2 x 50 female	●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO EXPERT 800mm	30717817	800	89	50	79l/min	2 x 50 male 2 x 50 female	●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO EXPERT 900mm	30717818	900	89	50	79l/min	2 x 50 male 2 x 50 female	●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO EXPERT 1100mm	30718576	1100	89	50	79l/min	2 x 50 male 2 x 50 female	●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO SLIM+ 300mm	30723944	300	50		35l/min		●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO SLIM+ MATT BLACK 300mm	30723945	300	50		35l/min		●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO SLIM+ 500mm	30723946	500	50		35l/min		●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
VENISIO SLIM+ MATT BLACK 500mm	30723947	500	50		35l/min		●		Mat and liquid sealant	Comes with waterproofing mat	●	Reversible grid
Venisio Shower Channel Soda 700mm	35910004	700	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid
Venisio Shower Channel Mikado 700mm	35910005	700	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid
Venisio Shower Channel City 700mm	35910006	700	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid
Venisio Shower Channel Soda 800mm	35910007	800	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid
Venisio Shower Channel Mikado 800mm	35910008	800	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid
Venisio Shower Channel City 800mm	35910009	800	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid
Venisio Shower Channel Soda 900mm	35910010	900	80	50	84l/min	2 x 50 male 2 x 50 female	●		Liquid sealant	Comes with anti-cracking mat	●	Grid

VENISIO EXPERT

SHOWER CHANNEL VENISIO EXPERT



700/800/900/1100mm

89 mm

Ø 43
male



Ø 50
male

Ø 50
female

Ø 43
female



Ø 50
male

Ø 50
female

Ø 43
male



- › **REVERSIBLE FINISH:** Brushed stainless steel or tiled.
- › **REDUCED HEIGHT:** 89 mm under floor.
- › **WATER SEAL:** 50 mm.
- › **EASY MAINTENANCE:** With direct access to trap from above.
- › **ULTRA-FAST FLOW:** Through its multiple outlets (possibility of connecting several pipes).
- › **ADJUSTABLE FEET:** On ball joint for optimum adjustment (from 89 to 124mm).
- › **POST INSTALLATION GRID ADJUSTMENT:** To suit tile thickness from 8 to 16 mm thick).
- › **WATERPROOF:** Sheet (supplied) secured by adhesion and screws for a watertight seal.



Check out
our video





SHOWER CHANNEL



Description	VENISIO EXPERT 700 MM	VENISIO EXPERT 800 MM	VENISIO EXPERT 900 MM	VENISIO EXPERT 1100 MM
Reference	30717816	30717817	30717818	30718576
EAN code	3375537177837	3375537237944	3375537237951	3375537237968
Packaging	Box			
Multiple / boxed quantity	1/4			
Height adjustable	89 mm - 124 mm			
Water seal	50 mm			
Flow L/mn (under 20 mm)	Up to 79 L/mn			
Outlet	Multioutlet (2 Male D50mm, 2 Female D50mm, 2 Male D43 1 1/2" UK, 1 Female D43 1 1/2")			
Grid	Brushed Stainless Steel or Tile Finish			


Technical drawing



VENISIO SLIM⁺

SHOWER CHANNEL VENISIO SLIM⁺

Extra-flat shower channel with **Smart Membrane Technology**.



AESTHETIC HIGH END GRIDS

Brushed stainless steel or black matt frame and grid, reversible tileable grid.

2 LENGTHS AVAILABLE

300 mm and 500 mm.



> **ULTRA COMPACT:**
Extra-flat shower channel.



> **EASY INSTALLATION:**
Scored and adjustable feet from 50 to 110 mm.
Adjustable grid from 8 to 16 mm.



> **HIGH FLOW RATE:**
35L/min under 20 mm of water.



> **100% WATERPROOF:**
Perfect seal thanks to the flange, the stainless steel frame and the self-adhesive butyl sealing tape.




Check out
our video

wirquin
Innovation

SMART Membrane Technology

- > Cartridge is equipped with silicone membrane which opens when water passes and closes automatically afterwards, ensuring optimal drainage. Its external bi-injected washer guarantees a perfect seal. No more bad smells, no more pipe noises, no more back-siphoning.
- > The independent hair catcher is removable from above, without removing the cartridge for quick and easy cleaning.
- > Removable cartridge for deeper cleaning and direct access to the pipework.
- > No more chemical product needed to clean your shower waste !



SMART
Membrane
Technology



Prevents odours.



Eliminates noise in the pipes.



Creates natural ventilation in the pipes and prevents back-siphoning.



SHOWER CHANNEL

10
YEARS
WARRANTY



Description	VENISIO SLIM+ 300MM	VENISIO SLIM+ 500MM	VENISIO SLIM+ MATT BLACK 300MM	VENISIO SLIM+ MATT BLACK 500MM
Reference	30723944	30723946	30723945	30723947
EAN code	3375537209514	3375537209545	3375539991905	3375539991912
Packaging	Box			
Multiple / boxed quantity	1/4			
Height adjustable	89 mm - 110 mm			
Water seal	Waterless silicon membrane			
Flow L/mn (under 20 mm)	Up to 35 L/mn			
Outlet	Ø40 (female) solvent weld			
Grid	Brushed Stainless Steel or Tile Finish			

Technical drawing



ACCESSORIES

ACCESSORIES VENISIO SLIM+



			
VENISIO SLIM+ CHANNEL FILTER & MEMBRANE	VENISIO SLIM CHANNEL SPACER SET (X4)	VENISIO SLIM 300 CHANNEL GRID SET	VENISIO SLIM 500 CHANNEL GRID SET
30723382	30938007	30938008	30938009




VENISIO

3 LENGTHS AVAILABLE*
700 mm, 800 mm and 900 mm.

SHOWER CHANNEL VENISIO

Shower channel equipped with a 50 mm water seal.
Efficient and economical, it offers a lot of aesthetic choices.

5 YEARS WARRANTY



› **ULTRA EFFICIENT:** Ultra-fast flow rate up to 60L/min under 20 mm of water, thanks to a horizontal drain allowing water to flow out along the entire length. Several outputs can be connected.




› **QUICK AND EASY TO INSTALL:** Feet can be adjusted from above from 80 to 120 mm, comes with anti-cracking sealing flap and installation cover.



› **EASY TO CLEAN:** Removable drain, accessible from above.



Check out
our video




SHOWER CHANNEL



Description	VENISIO SHOWER CHANNEL SODA			VENISIO SHOWER CHANNEL MIKADO	
Length mm	700	800	900	700	800
Reference	35910004	35910007	35910010	35910005	35910008
EAN code	3375539992834	3375539992865	3375539992896	3375539992841	3375539992872
Packaging	Box				
Multiple / boxed quantity	1/4				
Height adjustable	80 mm - 120 mm				
Water seal	50 mm				
Flow L/mn (under 20 mm)	Up to 60 L/mn				
Outlet	2 Male D50mm, 2 Female D50mm, 2 Male D43 1 1/2" UK, 1 Female D43 1 1/2" UK				
Grid	Brushed Stainless Steel				


Technical drawing



SHOWER CHANNEL



Description	VENISIO SHOWER CHANNEL CITY	
Length mm	700	800
Reference	35910006	35910009
EAN code	3375539992858	3375539992889
Packaging	Box	
Multiple / boxed quantity	1/4	
Height adjustable	80 mm - 120 mm	
Water seal	50 mm	
Flow L/mn (under 20 mm)	Up to 60 L/mn	
Outlet	2 Male D50mm, 2 Female D50mm, 2 Male D43 1 1/2" UK, 1 Female D43 1 1/2" UK	
Grid	Brushed Stainless Steel	



Technical drawing

SHOWER CHANNEL

VENISIO CHANNELL ACCESSORIES



Description	VENISIO CHANNEL FUNNEL AND O RING
Reference	30719158
EAN code	3375537190874
Packaging	Bag
Multiple / box quantity	1/1



Description	VENISIO CHANNEL TRAP CUP ONLY
Reference	30719252
EAN code	3375537191802
Packaging	Bag
Multiple / box quantity	1/1

SHOWER

Ø90 WASTES



Ø60 WASTES



ACCESSORIES

**wirquin**

SHOWER WASTE Ø 90

	REFERENCE	PACK	DEPTH UNDER TRAY / IN FLOOR in mm	WATER SEAL in mm	FLOW RATE in L/min	OUTLET		GRID	DOME	APPLICATION		
						Horizontal	Vertical			SHOWER TRAY	TILEABLE	
SLIM STAINLESS STEEL GRID	30903000		40	Waterless	27	•		• (Stainless)		•		
VENISIO COMPACT CIRCLES	35911003	Box	70.7	Waterless		•		• (Stainless)			•	
VENISIO COMPACT CIRCLES	30934008	Bag										
VENISIO COMPACT CITY	35911005	Box										
VENISIO COMPACT SODA	35911004	Box										
TWISTO II SQUARE	30933008		96 (incl. grid)	50	40	•		• (Stainless)			•	
TWISTO ROUND	34040010		90	50	32	•			• (ABS)	•		•
TOURBILLON STAINLESS	30933016		92 (incl. grid)	50	37	•		• (Stainless)			•	
TOURBILLON BLACK TOUCH	35911002		92 (incl. grid)	50	37	•		• (MATT BLACK S/Steel)			•	


SHOWER WASTE Ø 60

TOURBILLON SQUARE - SS Grid	30924000	Blister	91	50	30	•		• (Stainless)			•	
TOURBILLON SQUARE - BLACK TOUCH	30924000	Blister	91	50	30	•		• (MATT BLACK S/Steel)			•	
TOURBILLON SQUARE - Chrome	39998004	Blister	85 in shower tray 91 in floor	50	30	•		• (ABS)		•	•	•
TOURBILLON SQUARE - Chrome	34090001	Bag										
TOURBILLON ROUND	SP406099	Bag	85 in shower tray 91 in floor	50	30	•			• (ABS)	•		•
JAMES SQUARE	39998003	Blister	83 in horizontal 123 in vertical	50	51 in horizontal 83 in vertical	•	•	• (ABS)		•	•	•
JAMES SQUARE	34260002	Bag										
JAMES ROUND	30943000		83 in horizontal 123 in vertical	50	51 in horizontal 83 in vertical	•	•	• (ABS)		•		•

SLIM

SHOWER WASTE SLIM

The flattest shower waste on the market



The SLIM range is specially designed to be fitted to the flattest trays on the market, in Ø90 thanks to its low height:

ONLY 40 mm!

The silicon membrane guarantees excellent flow rates and acts as a vapour barrier and air admittance valve.




SHOWER Ø90 SLIM




The flattest shower waste on the market

- ▶ Anti back-siphoning system
- ▶ No smell guarantee: the membrane replaces the water trap
- ▶ Easy to maintain: Top access membrane with removable hair filter
- ▶ High performance flow rate
- ▶ For use in shower trays with 90mm outlet



Tip: For stoneware trays or trays with conical drain holes, an adaptor is available.




SHOWER WASTE



Description	SLIM STAINLESS STEEL GRID
Reference	30903000
EAN code	5017134132168
Packaging	Box
Multiple / boxed quantity	1/10
Height	40 mm
Water seal	50 mm
Flow L/mn (under 15 mm)	Up to 27 L/mn
Outlet	40 mm compression fit
Grid	Brushed Stainless Steel Grid
Application	Shower tray

Technical drawing



SLIM+ ACCESSORIES



Description	SLIM+ FILTER & MEMBRANE
Reference	30723382
EAN code	3375539992940
Packaging	Bag
Multiple / box quantity	1/1
Application	The new Slim+ filter is compatible with the Slim 30903000 and is the new spare membrane & filter

SHOWER Ø 90

SHOWER Ø 60


ACCESSORIES

SHOWER WASTE



Description	VENISIO COMPACT CIRCLES GRID		VENISIO COMPACT CITY GRID	VENISIO COMPACT SODA GRID
Reference	35911003	30934008	35911005	35911004
Ean code	3375539990243	3375539992018	3375539992919	3375539992902
Packaging	Box	Bag	Box	Box
Multiple / box qty	1 / 4	1 / 24	1 / 4	1 / 4
Height mm	80.7			
Depth of seal mm	Waterless silicon membrane			
"Flow rate in l/min (under 120mm of water)"	up to 30			
Grid / dome	Brushed Stainless Steel Grid			
Application	Tileable, orientable			


Technical drawing



VENISIO COMPACT ACCESSORIES



Description	VENISIO COMPACT SPACER
Reference	30722815
EAN code	3375537226986
Packaging	Bag
Multiple / box quantity	1/1
Application	Compatible with the Venisio Compact shower wastes






Description	VENISIO COMPACT FILTER & MEMBRANE
Reference	30719155
EAN code	3375537190843
Packaging	Bag
Multiple / box quantity	1/1
Application	Compatible with the Venisio Compact shower wastes

SHOWER WASTES



Description	TWISTO II SQUARE STAINLESS STEEL GRID	TWISTO II SQUARE BLACK TOUCH STAINLESS STEEL GRID	TWISTO ROUND ABS DOME	TOURBILLON STAINLESS HI-FLOW SHOWER WASTE
Reference	30933008	35911001	34040010	30933016
Ean code	3375539998423	3375539991431	3375539062407	3375539998508
Packaging	Box	Box	Bag	Box
Multiple / Box qty	1 / 5	1 / 5	1 / 4	1 / 20
Height mm	96 (incl. grid)	96 (incl. grid)	90	92 (incl. grid)
Depth of seal mm	50	50	50	50
Flow rate in l/min	40	40	32	37 (under 15mm)
Grid / dome	115mm brushed stainless steel grid + spacer	115mm MATT BLACK stainless steel grid + spacer	ABS 120 mm chrome plated dome	Stainless Steel
Application	Tileable, orientable	Tileable, orientable	Shower tray	Tileable, orientable

Technical drawing







5 YEARS WARRANTY







Description	TOURBILLON SQUARE	TOURBILLON SQUARE MATT BLACK	TOURBILLON SQUARE		JAMES SQUARE MULTI-POSITIONING		JAMES ROUND MULTI-POSITIONING
Reference	30924000	35911002	39998004	34090001	39998003	34260002	30943000
Ean code	3375539991226	3375539991509	3375539990069	3375537132706	3375539990052	337557135479	3375539998713
Packaging	Blister	Blister	Blister	Bag	Blister	Bag	Bag
Multiple / box qty	1 / 4	1 / 4	1 / 4	1 / 25	1 / 6	1 / 25	1 / 5
Height mm	91	91	91		83 in horizontal position 123 in vertical position		83 in horizontal position 123 in vertical position
Depth of seal mm	50	50	50		50		50
"Flow rate in l/min (under 120mm of water)"	30	30	30		51 in horizontal position 83 in vertical position		51 in horizontal position 83 in vertical position
Grid / dome	Brushed stainless steel	Matt black stainless steel	ABS chrome plated		ABS chrome plated		ABS chrome plated
Application	Tileable, orientable	Tileable, orientable	Tileable, orientable / Shower tray		Tileable, orientable / Shower tray		Shower tray

Technical drawing










ACCESSORIES




Description	TWISTO II GRID BRUSHED STAINLESS STEEL, SPACER + SCREWS	TWISTO II SPACER	TOURBILLON STAINLESS GRID Ø 90, SPACER + SCREWS	TOURBILLON STAINLESS SPACER Ø 90	TWISTO I GRID STAINLESS STEEL, SPACER + SCREWS
Reference	30908003	30908005	30908004	30908006	SPS001
Ean code	3375539998560	3375539998584	3375539996245	3375539998591	3375539991097
Packaging	Bag	Bag	Bag	Bag	Bag
Multiple / box quantity	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Height mm	1.2 + 7	7	1.2 + 11	11	1.2 + 5
Grid / dome	Stainless + ABS	ABS	Stainless + ABS	ABS	Stainless + PP
Technical drawing					

ACCESSORIES



Description	TOURBILLON / JAMES CHROME PLATED SQUARE GRID Ø 60	TWISTO ROUND DOME REPLACEMENT	JAMES CP KNOB AND HAIR STRAINER	TOURBILLON 60MM ROUND CHROME GRID	TOURBILLON 60MM TRAP CUP	TOURBILLON 90MM TRAP CUP
Reference	99998002	39998042	30908001	99998003	30908002	35915000
Ean code	3375539990519	3375539992216	3375539998355	3375539990526	3375539992506	3375539999383
Packaging	Bag	Bag	Bag	Bag	Loose	Loose
Multiple / box quantity	1 / 1	1 / 10	1 / 10	1 / 10	1 / 10	1 / 10
Height mm	5		11		62	60
Grid / dome	Spacer 10x10 cm chrome ABS	Chrome ABS	ABS	Chrome ABS	PP	PP
Technical drawing						


BATH



wirquin


THE NF STANDARD FOR BATH WASTES

DIMENSIONS OF BATH IN STEEL AND CAST ACRYLIC (MM)




SUPPLY : 20 L/MN


WASTE FLOW RATE



OVERFLOW FLOW RATE



OPTIONS :



OVERFLOW
BRASS chrome plated

PLUG
CP brass

OUTLET
swivelling

GLUE FIT ADAPTOR
40mm to 50mm

CABLE BATH WASTES

CABLE BATH WASTES	REFERENCE	PACK	OVERFLOW LENGTH in mm	HEIGHT UNDER BATH in mm	WATER SEAL	FLOW RATE L/min	OVERFLOW MATERIAL			PLUG		PLUG MATERIAL			
							ABS chrome	Brass	Stainless steel	Inset	Cover	ABS chrome	Stainless stainless	Brass	
SB700 GREY	30930002	Blister	700	108	50	62		•			•			•	
ELTON AUTO	39998010	Blister	700	108	50	62	•			•				•	

POP UP BATH WASTES

POP-UP + ELTON	30930001	Box	700	108	50	62	•			•				•	
POP-UP + ELTON	30920001	Blister	700	108	50	62	•			•				•	

QUICK-CLAC BATH WASTES

QUICK-CLAC + ELTON TRAP	34760801	Box	700	108	50	62	•				•		•		
QUICK-CLAC + ELTON TRAP	39998001	Blister	700	108	50	62	•				•		•		

CHAINED BATH WASTES

SP602 BATH WASTE PLUG + CHAIN	30930017	Box	500	119	50	47			•	•					
SP602 BATH WASTE PLUG + CHAIN	39998011	Blister	500	119	50	47			•	•					

FREESTANDING BATH WASTES

CHROME PLATED PLUG + CHAIN	39998025	Box	610	107	40	47		•		•					
CHROME PLATED + POP-UP WASTE	30900004	Box	565 / 710	107	40	47		•		•				•	

SKIRTED AND COMPOSITE BATH WASTES


SKIRTED bath trap solution	39998052	Blister	700	108	50	62	•			•				•	
COMPOSITE bath trap solution	39998060	Blister	-	54	50	47				•				•	

BATH TRAPS

SWIVELLING Bath Trap Only	SP602	Bag		119	50	54									•
ELTON bath trap only	39998037	Bag		108	50	62									
ELTON TRAP + OVERFLOW TUBE ONLY SOLUTION	30930004	Bag		108	50	62									

SB700 + ELTON auto

CABLE WASTE SB700 + ELTON AUTO








- › **CABLE OPENING-CLOSING SYSTEM:** 90° rotation with unique clutch control operation (lifetime guaranteed)
- › **DESIGN OVERFLOW:** Round stylish chrome plated.
- › **700 MM CABLE LENGTH:** With high resistance stainless steel cable inside the overflow tube to avoid damage during installation.
- › **EASY SET UP:** The self-centering washer retains the waste in position under the bath when the grid is being installed.
- › **SPACE SAVING TRAP:** Only 108mm under bath.
- › **FASTEST FLOW RATE ON THE MARKET:** 63 L/m
- › **SELF CLEANING TRAP:** Guaranteed not to block.
- › **FLEXIBLE:** 40° movement and rotating trap to aid connection to the waste pipe.
- › **ONLY 2 CONNECTION POINTS:** 50% less chance of leak than a traditional 4 joint waste.
- › **DEPTH OF SEAL:** 50mm
- › * in normal conditions of use



BATH WASTES





Description	SB700 LUXURY POP UP WASTE WITH ENCLOSED 700MM CABLE, FASTFLOW	ELTON AUTO POP UP WASTE WITH ENCLOSED CABLE WITH TRAP, FASTFLOW	CP POP-UP WASTE + ELTON TRAP & OVERFLOW		QUICK CLAC WASTE		BATH TRAP (SP602)	
Reference	30930002	39998010	30930001	30920001	39998001	34760801	30930017	39998011
Ean code	3375539053887	3375539990182	3375539998669	3375539998652	3375539990038	3375537140916	3375539998515	3375539990199
Packaging	Blister	Blister	Box	Blister	Blister	Bag	Box	Blister
Multiple / box qty	1 / 12	1 / 7	1 / 12	1 / 8	1 / 8	1 / 12	1 / 20	1 / 8
Overflow length mm	700	700	700		700		500	
Height under bath mm	108	108	108		108		117	
Depth of seal mm	50	50	50		50		50	
Flow rate in l/min	62	62	62		62		47	
Handle/ overflow	Chrome plated metal	ABS chrome plated	BRASS chrome plated		ABS chrome plated		INOX Stainless Steel	
Plug	POP-UP in chrome plated metal	Clicker pop-up in chrome plated metal	POP-UP in chrome plated metal		POP-UP in stainless steel		Standard in stainless receiver	
Technical drawing								

FREESTANDING



Description	FREE STANDING BRASS CP BATH P TRAP, OVERFLOW, WASTE PLUG + CHAIN	FREE STANDING BRASS CP BATH P TRAP, OVERFLOW, POP-UP WASTE
Reference	39998025	30900004
Ean code	3375539991028	3375539998362
Packaging	Box	Box
Multiple / box qty	1 / 5	1 / 5
Overflow length mm	610	565 / 710
Height under bath mm	107	107
Depth of seal mm	40	40
Flow rate in l/min	47	47
Handle/ overflow	Chrome plated metal	Chrome plated metal
Plug	Chrome plated metal	POP-UP chrome plated metal





SKIRTED & COMPOSITE



Description	SKIRTED BATH TRAP SOLUTION	COMPOSITE BATH TRAP SOLUTION
Reference	39998052	39998060
Ean code	3375539997198	3375539996900
Packaging	Blister	Blister
Multiple / box qty	1 / 7	1 / 7
Overflow length mm	600	-
Height under bath mm	108	54
Depth of seal mm	50	-
Flow rate in l/min	62	47
Handle/ overflow	ABS chrome plated	-
Plug	POP-UP chrome plated metal	POP-UP chrome plated metal

Technical drawing






BATH TRAPS




Description	SP602 WASTE TRAP SWIVELLING OUTLET	ELTON BATH TRAP ONLY	ELTON TRAP + OVERFLOW TUBE ONLY SOLUTION
Reference	SP602	39998037	30930004
Ean code	3375530116819	3375539991820	3375539991349
Packaging	Bag	Bag	Bag
Multiple / box qty	1 / 10	1 / 10	1 / 20
Depth of seal mm	50	50	50
Flow rate in l/min	54	62	62

Technical drawing





ACCESSORIES



Description	TILEABLE BATH INSPECTION HATCH WHITE PVC	JOLLYBATH SPIRAL TUBE 1M + FITTINGS	
Reference	99998005	79998002	79331998
Ean code	3375539990663	3375539990649	3375539996634
Packaging	Display	Blister	Bag
Multiple / box qty	1 / 6	1 / 7	1 / 5

Technical drawing



BASIN & SINK

WASTE & TRAP IN ONE

TRAPS

SINK WASTES



wirquin

BASIN AND SINK WASTES

	NAME	REF	PACK	WATER SEAL	FLOW RATE L/MIN	MATERIAL					
						PP	PS	CHROMED ABS	BRASS	STAINLESS STEEL	
Basin waste & trap	NANO Chrome Dome	30911000	Blister	Silicone Membrane	30	●				●	
	NANO Chrome Dome - 100mm	30911001	Blister	Silicone Membrane	30	●				●	
	NANO Black Touch dome	30911002	Blister	Silicone Membrane	30	●				●	
	NANO Black Touch dome - 100mm	30911003	Blister	Silicone Membrane	30	●				●	
Designer range	DESIGNER UNIVERSAL Bottle trap, brass CP	30901003	Blister	50	40				●		
	TEOS 270mm	31270201	Blister	75	45			●			
	CLASSIC bottle trap, brass CP	39998027	Box	50	40				●		
		39998038	Blister								
Basin traps	SENZO	30931009	Box	Silicone Diaphragm	38.4	●					
		79998005	Blister								
		31160002	Bag								
	ALL-IN-1 (white)	39998005	Blister	50	48	●					●
		31180002	Bag								
	ALL-IN-1 (silver)	39998051	Blister	50	48	●					●
		31180002	Bag								
	ALL-IN-1 (white) + washing machine connection	39998041	Blister	50	48	●					●
Sink traps	ESPACE Double sink trap + washing machine connection	30932010	Box	50	39	●	●				●
		39998008	Blister								
		TM2000040	Bag								
	ESPACE Double sink trap + washing machine connection + extension piece	39998029	Bag	50	39	●	●				●
		39998033	Blister								
	ESPACE Triple + washing machine connection	39998061	Blister	50		●	●				
	ESPACE Single + washing machine connection	30932011	Box	50	36	●	●				●
		39998007	Blister								
		TM1000040	Bag								
Basket strainer	Stainless steel basket strainer waste without overflow	SP2480050	Bag			●				●	

NANO

WASTE + TRAP IN ONE

NANO



COMPLETE KIT
Basin Waste + Trap IN ONE!

ULTRA
COMPACT
7 CM



CHROMED FINISH



MATT BLACK FINISH



› TOP ACCESS CLEANING: Trap accessible from above.



› WATERLESS MEMBRANE TRAP: Replaces the traditional water seal giving total protection against back siphoning for a no smell guarantee.



› ULTRA COMPACT: Only 7cm high, more space under the basin.



› INTEGRATED OVERFLOW SLOT: Can be uncapped to suit installation



› 360° SWIVEL, ± 4° VERTICAL TILT: Compensates for alignment faults and takes pressure off the pipes.



› QUICK & SAFE: Easy clip of the body: with 1/4 turn nut with overmoulded washer.



Smartly
maximise
storage space
under your basin!

BEFORE

AFTER

BASIN WASTE & TRAP

BASIN WASTES

SINK WASTES



ACCESSORIES

WASTE + TRAP IN ONE



Description	NANO SOLID DOME	NANO SOLID DOME - MATT BLACK PLUG	NANO (100MM) SOLID DOME	NANO (100MM) SOLID DOME - MATT BLACK PLUG
Reference	30911000	30911002	30911001	30911003
EAN code	3375539991967	3375539991981	3375539991974	3375539991998
Packaging	Blister		Blister	
Multiple / Pack	1 / 4		1 / 4	
Seal	SILICONE MEMBRANE		SILICONE MEMBRANE	
Flow rate l/mn	30 L/mn		30 L/mn	
Height under basin mm	70 mm		70 mm	

Technical drawing



wirquin
Innovation



SMART MEMBRANE TECHNOLOGY

The new generation Wirquin Cartridge replaces the traditional water seal. Patented, it is equipped with a new silicone membrane.



> **NO SMELLS:** the cartridge is equipped with a silicone membrane which opens when water passes and closes automatically afterwards. Its external bi-injected washer guarantees a perfect seal. No more bad smells, no more pipe noises, no more back-siphoning.



> **EASY TO CLEAN:** the membrane cartridge and plug are removable for quick and easy cleaning with soap and water and direct access to the pipework. It will also block insects.

★★★
PATENTED





wirquin **neo** **AIR**

AIR SYSTEM

Integrated ventapipe

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning

QUICK-SAFE
Installation

- ✓ **ZERO** Leaks
- ✓ **ZERO** Hassle



EN 274

MADE IN
FRANCE

9
AWARDED

YEARS
WARRANTY
10

NF

**Put an end to
bad smells
and leaks!**

wirquin neo AIR

9th
AWARDED


10
YEARS
WARRANTY

AIR SYSTEM *Integrated ventapipe*

*Prevents the suction of the water
seal trap thanks to the membrane.*

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning

*Replaces the traditional anti-vacuum
by creating natural ventilation in the
pipes*



QUICK-SAFE *Installation*

*Easy and quick installation 100% waterproof
thanks to the bi-injected washer*







- ✓ **ZERO** Leaks
- ✓ **ZERO** Hassle

BASIN WASTES



Description	WIRQUIN NEO		WIRQUIN NEO AIR		WIRQUIN NEO		WIRQUIN NEO AIR	
Reference	30931010	30931016	30931020	30931026	30931011	30931017	30931021	30931027
Ean code	3375539991639	3375539992261	3375539991741	3375539992957	3375539991646	3375539992278	3375539991707	3375539992001
Packaging	Box	Bag	Box	Bag	Box	Bag	Box	Bag
Multiple / box qty	7 / 7	12 / 12	7 / 7	12 / 12	7 / 7	12 / 12	7 / 7	12 / 12
Depth of seal mm	50 mm		50 mm		80 mm		80 mm	
Inlet	32/40mm		32/40mm		32/40mm		32/40mm	
Outlet	40mm (50mm with adaptor)		40mm (50mm with adaptor)		40mm (50mm with adaptor)		40mm (50mm with adaptor)	
Flow rate in l/min (under 15mm of water)	57.5 L/min		57.5 L/min		59.6 L/mn		59.6 L/mn	
Height mm	145>205 mm		145>205 mm		175>235 mm		175>235 mm	

Technical drawing





BASIN WASTES



Description	WIRQUIN NEO AIR + PLUG & CHAIN	WIRQUIN NEO AIR + PLUG & CHAIN
Reference	30931031	30931030
Ean code	3375539990458	30931030
Packaging	Bag	Bag
Multiple / box qty	12 / 12	12 / 12
Depth of seal mm	50 mm	80 mm
Inlet	32/40mm	32/40mm
Outlet	40mm (50mm with adaptor)	40mm (50mm with adaptor)
Flow rate in l/min (under 15mm of water)	57.5 L/min	59.6 L/mn
Height mm	145>205 mm	175>235 mm


Technical drawing





ALL IN ONE

UNIVERSAL

TRAP ALL IN ONE



ADAPTOR
40mm/50mm




› **UNIVERSAL:**
A single product to fit basin & sink.



› **OVERMOULDED WASHERS:**
A perfect seal without the need for washers.



› **TELESCOPIC:** Making it easy to install with existing pipework alignment.



› **PUSH-FIT FUNCTION:**
Rapid installation.



› **EASY TO CLEAN:**
Simple rotation of the base.

Fitted with a 40-32mm reducing nut on the inlet, and a multi-diameter outlet, ALL-IN-ONE traps can be used on sinks, washbasins, hand basins and bidets and urinals.





Thanks to its dual-injection technology, the washers are directly moulded into the trap. No more risk of losing washers during installation.

A recessed cap enables the water in the trap to be emptied out when removing the trap. The cap is removed and installed simply by rotating.

SENZO

WATERLESS MEMBRANE TRAP

SENZO



> **FLEXIBLE:**
Easy to install with no effort - push fit.



> **WATERLESS SILICONE MEMBRANE TRAP:**
No smell guaranteed.



> **ULTRA COMPACT:**
Only 64mm in height.



> **CAN BE INSTALLED VERTICALLY:**
For pedestal installations.

Fitted with a silicone membrane which opens to allow water and waste to pass through then closes again. Senzo is extra flat with a height of only 64 mm

By doing away with the water seal, Senzo dispenses with size, rigidity and installation constraints in one go.

Universal: Inlet Ø32 x Ø40mm & Outlet Ø40 x Ø50mm.




BASIN WASTE



Description	SENZO SPACE SAVING WATERLESS TRAP, 40MM PUSH FIT, FLEXIBLE, 32 + 40 MM FEMALE THREADED BEND		
Reference	30931009	79998005	31160002
Ean code	3375539998430	3375539992179	3375539992162
Inlet in mm	32mm, 40mm		
Outlet in mm	40mm Push fit. 40mm FI Glue fit, 50mm FI Glue Fit		
Packaging	Box	Blister	Bag
Multiple / Box qty	1 / 12	1 / 16	40 / 40
flow rate in L/min	38.4		
Height mm	54		

Technical drawing






DESIGNER BASIN TRAPS



Description	DESIGNER UNIVERSAL BOTTLE TRAP, BRASS CP	TEOS BOTTLE TRAP, CP ABS, 32X40, 270MM	CLASSIC BOTTLE TRAP, BRASS CP	
Reference	30901003	31270201	39998038	39998027
Ean code	3375539998638	3375537162314	3375539991851	3375539991103
Inlet in mm	32mm, 40mm	32mm	32mm	
Outlet in mm	40mm Evacuation Pipe	40mm Evacuation Pipe	32mm Evacuation pipe with bung connector to 40mm Pipe	
Packaging	Box	Blister	Box	Blister
Multiple / Box qty	1 / 5	1 / 16	1 / 4	1 / 4
Depth of seal mm	50	75	50	
Flow rate in l/min	40	45	40	
Height mm	150 - 210	175 - 270	133 - 183	

Technical drawing




BASIN WASTE



Description	ALL-IN-ONE BOTTLE TRAP - WHITE		ALL-IN-ONE BOTTLE TRAP - SILVER	
Reference	39998005	31180002	39998051	31180501
Ean code	3375539990076	3375537140435	3375539996788	3375537165803
Inlet in mm	32mm FI, 40mm FI		32mm FI, 40mm FI	
Outlet in mm	40mm Push fit. 40mm FI Glue fit, 50mm FI Glue Fit		40mm Push fit. 40mm FI Glue fit, 50mm FI Glue Fit	
Packaging	Blister	Bag	Blister	Bag
Multiple / box qty	5 / 5	40 / 40	1 / 5	1 / 40
Depth of seal mm	50		50	
Height mm	125 - 170		125 - 170	
Overflow	-		-	
Flow rate in l/min	48		48	

Technical drawing





SINK WASTE




Description	ESPACE SINGLE SINK TRAP + WASHING MACHINE CONNECTION			ESPACE DOUBLE SINK TRAP + WASHING MACHINE CONNECTION		
Reference	30932011	39998007	TM100040	30932010	39998008	TM200040
Ean code	3375539998454	3375539990090	3375536009627	3375539998447	3375539990106	3375536009634
Packaging	Box	Blister	Bag	Box	Blister	Bag
Multiple / box qty	1 / 5	1 / 16	12 / 12	1 / 12	1 / 6	20 / 20
Depth of seal mm	50			50		
Flow rate l/mn	36			39		
Height under sink mm	143			143		
Centre distance mm	-			160 - 280		

Technical drawing



SINK WASTE





Description	ESPACE DOUBLE SINK TRAP + WASHING MACHINE CONNECTION + EXTENSION PIECE		ESPACE TRIPLE SINK TRAP + WASHING MACHINE CONNECTION	ESPACE EXTENSION PIECE
Reference	39998033	39998029	39998061	SP9307
Ean code	3375539991608	3375539991400	3375539997372	3375536014232
Packaging	Blister	Bag	Blister	Bag
Multiple / box qty	1 / 6	1 / 12	1 / 10	1 / 5
Depth of seal mm	50		50	-
Flow rate l/mn	39		-	-
Height under sink mm	143		-	-
Centre distance mm	160 - 500		400 - 480	60 - 220
Technical drawing				

Description	STAINLESS STEEL BASKET STRAINER WASTE WITHOUT OVERFLOW
Reference	SP2480050
Ean code	3375536019800
Packaging	Bag
Multiple / box qty	1/7
Sink size mm	90
Overflow grid	No overflow
Technical drawing	


UPPY

UNIVERSAL PLUG UPPY



Description	Reference	EAN code	Packaging	Multiple/Packaging
UPPY PINK	30722334	3375537222544	Sleeve	42
UPPY ORANGE	30722335	3375537222551	Sleeve	42
UPPY WHITE	30722337	3375537222575	Sleeve	42
UPPY BLACK	30722894	3375537227761	Sleeve	42

- › THE SMART 2 IN 1 PLUG FOR KITCHEN AND BATHROOM!
- › 2 IN 1 PLUG: With integrated filter.
- › UNIVERSAL PRODUCT FOR DEFECTIVE PLUGS: 110mm
- › EASY TO CLEAN



SPARES & ACCESSORIES - ADAPTORS



Description	40/50MM FITTING ADAPTOR		40/50MM PIPE GLUE ADAPTOR	REDUCING ADAPTOR RIGID PVC 40MM - 32MM	BUNG FOR BOTTLE TRAP EXTENSION 32 X 40	WASHING MACHINE CONNECTION FOR DOUBLE SPACE
Reference	83000046	39998006	30938003	39450001	79294001	39423001
Ean code	3375539074653	3375539990083	3375539998379	3375536022800	3375536026167	3375536018841
Packaging	Bulk	Blister	Bag	Loose	Bag	Loose
Multiple / box qty	1 / 20	1 / 6	1 / 1	1 / 10	1 / 5	1 / 5
Technical drawing						




Description	UNIVERSAL BASIN/SINK PLUG - GREY, 36-58MM	UNIVERSAL BASIN/SINK PLUG - BLUE, 36-58MM	UNIVERSAL BASIN/SINK PLUG - ORANGE, 36-58MM	UNIVERSAL BASIN/SINK PLUG - WHITE, 36-58MM	BATH OR BASIN QUICK CLAC PLUG, STAINLESS STEEL
Reference	39224001	39224101	39224201	39224401	SP9260S
Ean code	3375537144594	3375537144600	3375537144617	3375537149513	3375536013358
Packaging	Blister	Blister	Blister	Blister	Skin
Multiple / box qty	1 / 10	1 / 10	1 / 10	1 / 10	1 / 5

SPARES & ACCESSORIES - ADAPTORS



Description	CHROME: NANO DOME AND CARTRIDGE DIAPHRAGM	MATT BLACK: NANO DOME AND CARTRIDGE DIAPHRAGM	DRAIN UNCLOGGER
Reference	80800134	30723191	SP9910
Ean code	2020000245308	3375537230716	3375530165213
Packaging	Bag	Bag	Loose
Multiple / box qty	1 / 1	1 / 1	1 / 8

Technical drawing



**A WASTE FOR
EVERYONE!**

BASIN WASTES & TRAPS

**WE SUPPLY QUALITY WASTES WITH A RANGE OF
FEATURES AND BENEFITS.**



wirquin

**Smart
For Good**

Tel: +27 (0)42 243 6000 | E-mail: enquiries@wirquin.co.za

www.wirquin.co.za

PIPE & WASTE CONNECTORS

MAGICFLEX



EXTENDABLE CONNECTOR




wirquin

MAGICFLEX®

PIPE CONNECTORS

MAGICFLEX® THE FLEXIBLE PIPE CONNECTOR



› AVAILABLE IN SEVERAL VERSIONS:

40mm and 50mm solvent weld: Female-Female.

- › NO MORE ANGLE CALCULATIONS: Thanks to its flexible structure, it can take on the desired angle from 0° to 180° and on two different levels in the space available.
- › IT CAN COMPENSATE FOR MISALIGNMENT BETWEEN TWO PIPES: It can be compressed for installation on pipes already in place, or in places with difficult access. Its flexible body absorbs contraction and expansion.
- › MANUFACTURED IN PVC: Magicflex® connectors can resist detergents (bleach, washing-up liquid, washing powder, drain unblocker, etc.)
- › THE SAME WHITE COLOUR AS USED IN PVC WASTE SYSTEMS: It can be unobtrusively fitted into the installation.

BEFORE



AFTER





PIPE CONNECTORS



Description	SOLVENT WELD, FLEXIBLE ELBOW, FEMALE-FEMALE, WHITE	SOLVENT WELD, FLEXIBLE ELBOW, FEMALE-FEMALE, WHITE
Reference	79008008	30723191
Ean code	3375537145355	3375537230716
Packaging	Loose	Bag
Multiple / box qty	10	1 / 1
Diameter (mm)	40	50

Technical drawing




WASTE CONNECTORS



Description	EXTENDABLE CONNECTOR, SUPPLIED WITH FIXING HOOK.	
Reference	30718262	79998008
Ean code	3375537182213	3375539992414
Packaging	Bag	Blister
Multiple / box qty	1 / 40	1 / 6
Lengthr (mm)	270 - 700	
Input/ Output (mm)	32/40 X 40/50	

Technical drawing



SPARES & ACSSORIES



Description	SPIRAL TUBE WHITE 40MM 10M ROLL	PLASTIC MALE END 40MM SCREW
Reference	79331005	SP9347
Ean code	3375539074448	3375536023852
Packaging	Film	Bag
Multiple / box qty	1/5	1/20
Lengthr (mm)	10000	Diameter 40mm
Input/ Output (mm)	40	
Technical drawing	Technical drawing of the spiral tube. It shows a roll of the tube with a diameter of 40mm and a length of 10m. The drawing includes a side view of the roll and a top view showing the spiral pattern.	Technical drawing of the plastic male end connector. It shows a side view of the connector with a diameter of 40mm. The drawing includes dimensions of 46mm for the main body and 78mm for the total height, including the flange.



www.wirquin.co.za



wirquin

PLUMBING - SANITARYWARE



www.wirquin.co.za

Telephone: +27 (0)42 243 6000 | Email: sales@wirquin.co.za | enquiries@wirquin.co.za