

PRODUCT CATALOGUE

2024



wirquin

PLUMBING - SANITARYWARE

CONTENTS


About us.....	5
Services.....	6
Quality	7
Product Range:	
TOILET SEATS.....	9
Universal Shape.....	11
D-Shape.....	23
Additional Needs	25
Spares & Accessories	30
FLUSHING.....	35
Flush Valves	37
Siphons.....	41
Inlet Valves.....	43
Urinal Flushing.....	47
Spares & Accessories	49
CISTERNS	51
Concealed Cisterns	52
Exposed Cisterns.....	56
Spares & Accessories	58
FRAMES	63
Chrono	64
Initio	66
2 in 1.....	70
Push Plates.....	71

WETROOMS.....	73
Venisio Expert.....	74
SHOWER.....	77
Shower Waste 90	78
Shower Waste 50	81
Flush Grated	82
Shower Tray Feet	83
BATH.....	85
Cable Operated.....	86
Quick Clac & Rotary.....	88
Plug & Chain	89
Wastes & Traps	91
BASIN	93
Waste and Trap in one.....	94
Wastes.....	96
Traps.....	99
SINK.....	105
Bottle Traps.....	106
Space Saving Traps.....	110
Combination Wastes	112
Basket Strainers	113
Belfast Sink Wastes	114
WASTES SPARES & ACCESSORIES	115
Plug & Chains.....	116
Adaptors & Backnuts.....	119
Waste Connectors	119
WASTE, PIPE & PAN CONNECTORS.....	121
Jollyflex Extendable	122
Rigid	123
Short Connectors.....	124
Magicflex®	125
Waste Connectors	127

A FRENCH GROUP WITH INTERNATIONAL LOCATIONS

**1977**CREATION OF THE FIRST
MANUFACTURING UNIT**10**

SUBSIDIARIES

**5**PRODUCTION
SITES**1400**PEOPLE AROUND
THE WORLD

INNOVATION AT THE HEART OF WIRQUIN'S DNA

Innovation is at the heart of all projects undertaken by Wirquin. Many of our products have gone on to win numerous awards, become best sellers, and are often imitated by competition.

The history of Wirquin is that of creation, forward thinking, development, innovation but all of this would not be enough without the solid foundation of committed people behind the brand.

ABOUT US

AN INNOVATIVE, FAMILY OWNED INTERNATIONAL GROUP WITH OVER 47 YEARS OF EXPERTISE IN PLUMBING AND SANITARYWARE.

Innovation has always been key to our group's growth with a focus on exploration, invention and progress. This process was sparked by its founder's inspirational energy. In the late 60' Henry Wirquin et Daniel Le Coënt had the innovative idea of manufacturing plastic flushing mechanisms : the breakthrough for this trailblazing concept came in 1972 with the opening of a production site in Carquefou on the outskirts of Nantes in France.

The Wirquin company was set up in 1977 and ever since Daniel Le Coënt's creativity has driven it, enabling it to continually progress both in France and around the world. This upward trajectory continues today thanks to our culture of innovation and the expertise of our 1,400 talents, our 5 factories and 10 subsidiaries. Today Wirquin's innovative award winning products are sold in more than 50 countries worldwide.

In 2017, Daniel Le Coënt handed over the company to his 3 sons Anthony, Grégory and Gwenhael. Since 2018, Grégory Le Coënt is managing the Wirquin Group, ensuring the continuity of the company's development.

SANITARY EQUIPMENT MANUFACTURER

Based in Thorne near Doncaster, Wirquin Ltd operates from a 54,000 sqft warehouse facility allowing a strong stock portfolio across our wide range of products

UK - WIRQUIN LTD



Wirquin Celmac produces over one million toilet seats per year. Celmac has produced toilet seats since 1890 and is historically renowned for the 1930s black crescent school seat with the gap in the front (Crescent) as well as for setting the British Standard with the BS1254 Type 1 (Sonata) and the BS1254 Type 2 (Emerald) which are still manufactured today. Alongside the more traditional designs, Celmac also offers contemporary seat designs with a choice of hinge types to suit all requirements whether it be plastic, stainless steel, top fix, quick release, soft close and so on.

CELMAC

wirquin

MACDEE

Wirquin Macdee provides installers with a wide range of flushing mechanisms, frames, cisterns, wastes, traps, connectors, wetroom solutions and accessories. It's world renowned products are designed and produced with the installer and end user in mind - ensuring they are quick and easy to install, cost effective, robust, reliable and guaranteed to last. A full range of flushing valves, inlet valves, siphons and kits are WRAS approved and meet, if not exceed, British Standards and customers' requirements to save water and money.

TRUSTED BRANDS



10 subsidiaries of which 5 factories

Commercial presence in 60 countries

1400 employees

5 130 € million turnover in 2019
5 percent of annual turnover invested in research and development

INTERNATIONAL GROUP

CERTIFICATIONS

ISO9001 Quality Management



- Toilet Seats
- Flushing
- Frames
- Cisterns
- Wetrooms
- Shower wastes
- Bath wastes
- Basin wastes
- Sink wastes
- WC Pan connectors

WIDE RANGE OF PRODUCTS

CUSTOMER SERVICE

Contact Details:

Telephone: +44 (0)333 222 4488

Fax: +44 (0)130 231 2251

Email: sales@wirquin.co.uk | aftersales@wirquin.co.uk

www.wirquin.co.uk

WIRQUIN LTD; Unit 3, Alpha Court, Capitol Park, Thorne, DN8 5TZ - UK

Wirquin works closely with customers of all sizes from distributors (OEM, trade, export, DIY, retail) to installers and the end user. Every customer is offered tailored product knowledge, technical advice, installation solutions, training, experience, innovation and great customer support throughout each and every project.



National Sales Team

Products can be quickly and easily ordered through our dedicated UK Sales Team by telephone, EDI or email, or For your nearest Regional Business Development Manager, please contact the Sales Team using the contact details above.

Technical Support and After Sales Team



Our Technical Support and After Sales teams can assist with specification choices, as well as regularity compliance and installation advice. We will get back to you within 24 business hours.

Minimum Order and delivery



For the UK mainland, please note that there is a minimum order value of £150 carriage paid to any one delivery point. Certain products can be ordered in pallet quantities.

Technical information

Easy product selection

Installation videos

Supplier locator

Press & latest news

Social media

Latest vacancies



WirquinLtd



WirquinLtd



WirquinLtd



WirquinLtd UK

INNOVATIONS & QUALITY

Inventors of the dual flush toilet mechanism, our history has been built on the creative force of ideas.

Building on this tradition of creativity, we are committed to a world where hygiene and health are accessible to all, while helping to fight against the climate emergency.

Already committed to ensuring that our activity has a positive impact on the environment, we are accelerating on this path.

Responsible development, in harmony with a corporate citizen approach, will be a lever for innovation, progress and profitable growth. We want to be proud of our development.

Quality

Because Wirquin is committed to quality, our products and customer relations are made to last.

With thorough product testing being critical to ensure problem-free installation and use, Wirquin recently invested in a 100m² new laboratory with a team of 12 technicians.

Wirquin products come with a:

- > 2-year
- > 5-year
- > or 10-year guarantee

WIRQUIN Ltd Has been certified ISO9001 for more than 15 years

Through rigorous analysis of our management system, this approach ensures the quality of the processes we have implemented. The objective of ISO9001 is to increase customer satisfaction, enabling us to provide a level of quality that corresponds to their needs and requirements.



Celebrating our forth consecutive win at the Kitchen, Bedroom & Bathroom conference for innovation in 2020.



ENVIRONMENTAL & CORPORATE

Our mission

PROVIDE SMART AND SUSTAINABLE SOLUTIONS FOR BETTER LIVING.

Our strength lies in our ability to anticipate customers' requirements and create innovative plumbing solutions and sanitaryware that make users' lives easier and help professionals and installers work more effectively. Our innovations, our products, our services, our solutions are designed to satisfy our customers, improve comfort & hygiene but also limit our environmental impact.

Smart For Good

Our promise


At WIRQUIN, we are creators of products and solutions directly inspired by daily experience in the bathroom and the kitchen: what do you need? What are you missing? Whether you are a user, installer, DIYer or professional...

We observe you and imagine these details that change everything! Our ingenuity combined with our common sense allows us to see things differently and imagine the products of tomorrow.

WIRQUIN products are designed to improve your life: maximize ease of use, save space, minimize installation time and maintenance, and thus promote access to comfort and hygiene. But they are also designed to save resources and reduce our ecological footprint.



TOILET SEATS



HOW TO SELECT YOUR PERFECT WIRQUIN TOILET SEAT

1 - APPLICATION


	Application	Assets
THERMOSET	 HIGH TRAFFIC  PUBLIC PLACES  COST EFFECTIVE  EVERYDAY USE	<p>Hygienic: Naturally anti-bacterial Scratch, UV & chemical resistant Resilient: Extremely strong & durable</p>
THERMOPLASTIC	 HIGH TRAFFIC  COST EFFECTIVE  EVERYDAY USE	<p>Shatterproof 100% recyclable</p>
MOULDWOOD	 EVERYDAY USE	<p>Heavy weight Gloss finish</p>

2 - PAN SHAPE AND SIZE

> IDENTIFY YOUR PAN SHAPE



> CHECK DIMENSIONS OF THE SEAT AND PAN



A: Distance between the middle of the 2 holes in the pan

B: Width of the pan

C: Projection from the middle of the 2 holes up to the front of the pan.

3 - HINGE TYPE



Bottom fixing is a traditional type of fitting where the underside of the mounting holes are accessible to allow the tightening of the hinge fixings.



Top fixing is required when there is a limited/no access to the underside of the hinge mounting holes (blind hole pans).



Quick release for easy removal of the seat without tools, enabling thorough cleaning for maximum hygiene



Soft close incorporating specialist dampers for a gentle, quiet closing action, offering added safety. No more trapped fingers.



Lock + is a clever innovation that stops seat movement by filling the gap between the bolt and the pan.

Lock plus is included as standard with the Modufix range.



UNIVERSAL SHAPE

TOILET SEATS



DESCRIPTION	WEIGHT (KG)	PAGE NUMBER
LEON	0.9	11
INTERNATIONAL	1.0	11
FLAMENCO	1.3	12
SAPPHIRE	1.3	12
CALYPSO	1.3	13
FIRST	1.7	14
EMERALD	1.8	14
TANGO	1.7	15
SAXON	1.7	16
EVEREST	2.1	17
CASABLANCA	2.2	17
SONATA	2.5	18 + 19
WOODY PARAMOUNT	2.7	20
WOODY	2.5	20
WOODY LUX	3.5	21

› OUR SEATS FIT MOST STANDARD PANS AND COME IN A CHOICE OF COVERS INCLUDING DISHED, DOMED OR FLAT DESIGNS.



► *holds the seat in place!*




NOW AVAILABLE
AS A SPARE

Please note, you should refer to individual seat pages to consider if LOCK+ is compatible. LOCK+ is only compatible when specified and we do not guarantee the fit outside of the specifications.

- › SECURE YOUR SEAT
- › STOP SEAT MOVEMENT
- › INCREASE SEAT LIFESPAN

STOP SEAT MOVEMENT



BEFORE
GAP BETWEEN THE
PAN AND BOLT
LEADS TO A LOOSE
SEAT

AFTER
LOCK+
FILLS THE GAP,
PREVENTING
MOVEMENT

DESCRIPTION	REFERENCE	MULTIPLE	APPLICATION
Red LOCK+	20120454	15 pairs per bag	6mm Ø bolts
White LOCK+	20120455	15 pairs per bag	8mm Ø bolts

UNIVERSAL SHAPE
TOILET SEATSD- SHAPE
TOILET SEATSADDITIONAL NEEDS
TOILET SEATS

SPARES & ACCESSORIES

SEAT

LEON

Description	WHITE SEAT + COVER	
Reference	SLC11WH	
EAN code	5017134118384	
Packaging	Individually shrink wrapped and boxed by 10	
Multiples / Pack	10 per box / 200 per pallet	
Weight	0.9 kg	
Hinge Feature	Bottom Fix	
Hinge material	Plastic	
		
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Lightweight: cost effective 	




DIAGRAM - 20719017
Full dimensional details
per hinge p31



SEAT

INTERNATIONAL

Description	WHITE SEAT + COVER	BLACK SEAT + COVER
Reference	SNL11WH	SNL11BL
EAN code	5017134116649	5017134117011
Packaging	Individually boxed	Individually boxed
Multiples / Pack	05/100	05/100
Weight	1.0 kg	
Hinge Feature	Bottom Fix	
Hinge material	Plastic	
		
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Ideal for renovating work 	




DIAGRAM - SNL11WH
Full dimensional details
per hinge p31



SEAT

FLAMENCO

Description	WHITE SEAT + COVER		
Reference	20120361	20120362	20120363
EAN code	5017134133158	5017134133165	5017134133172
Packaging	Individually boxed		
Multiples / Pack	05 per outer / 100 per pallet		
Weight	1.3 kg		
Hinge Feature	Bottom Fix		Top Fix
Hinge material	Plastic	Stainless Steel	Stainless Steel
			
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Plastic or stainless steel Hinge material available 		





DIAGRAM - 20120361
Full dimensional details per hinge p31

SEAT

SAPPHIRE

Description	WHITE SEAT + COVER		
Reference	SSP11WH		
EAN code	5017134106763		
Packaging	Individually boxed		
Multiples / Pack	05 per outer / 100 per pallet		
Weight	1.3 kg		
Hinge Feature	Bottom Fix		
Hinge material	Pre assembled		
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Supplied pre-assembled with adjustable plastic Hinge material 		




DIAGRAM - SSP11WH
Full dimensional details per hinge p31



SEAT

CALYPSO




DIAGRAM - SCA11WH
Full dimensional details
per hinge p31


Description	WHITE SEAT + COVER		BLACK SEAT + COVER	WHITE SEAT ONLY
Reference	SCA11WH	SCA21WH	SCA21BL	SCA61WH
EAN code	501215869414	5012158650537	5012158650261	5024139039064
Packaging	Individually boxed		Pack of 5	
Multiples / Pack	05 per outer / 100 per pallet		05 per box / 150 per pallet	
Weight		1.3 kg		0.75 kg
Hinge Feature	Bottom Fix			
Hinge material	White Plastic		Black Plastic	White Plastic
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resistant to scratches, UV and chemicals Resilient: extremely strong, durable and hard wearing Hygienic: made of naturally antibacterial material Ideal for contract purposes for medium traffic areas Colour matching Hinge material 			



SEAT

FIRST

Description	WHITE SEAT + COVER
Reference	20718747
EAN code	3375537186945
Packaging	Individually boxed
Multiples / Pack	06 per outer / 108 per pallet
Weight	1.7 kg
Hinge Feature	Bottom Fix, Soft Close
Hinge material	Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Successfully tested to 10,000 opening/closing cycles



SEAT

EMERALD

Description	WHITE SEAT + COVER		BLACK SEAT + COVER	
	SEM11WH	SEM18WH	SEM11BL	SEM18BL
Reference	5017134106527	5017134116212	5017134106428	5017134116236
Packaging	Individually boxed			
Multiples / Pack	05 per outer / 100 per pallet			
Weight	1.8 kg			
Hinge Feature	Bottom Fix	Top Fix	Bottom Fix	Top Fix
Hinge material	Plastic - Pre assembled	Metal - Pre assembled	Plastic - Pre assembled	Metal - Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Set British Standard 1254 Type 2 Ideal for specification 			




DIAGRAM - SEM11WH
Full dimensional details
per hinge p31

UNIVERSAL SHAPE
TOILET SEATSD- SHAPE
TOILET SEATSADDITIONAL NEEDS
TOILET SEATS

SPARES & ACCESSORIES

SEAT

TANGO

Description	WHITE SEAT + COVER
Reference	STG11WH
EAN code	5012158689681
Packaging	Individually boxed
Multiples / Pack	06 per outer / 108 per pallet
Weight	1.7 kg
Hinge Feature	Top Fix, Soft Close, Quick Release
Hinge material	Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Thermoplastic Shatterproof and 100% recyclable material Easy to remove for easier cleaning Ideal for blind holes pans No more noise, no fingers trapped: Soft close




DIAGRAM - STG11WH
Full dimensional details
per hinge p31



SEAT

SAXON




DIAGRAM - SSA11WH
Full dimensional details
per hinge p32



Description	WHITE SEAT + COVER			BLACK SEAT + COVER		BLACK SEAT ONLY
Reference	SSA11WH	SSA12WH	SSA21WH	SSA11BL	SSA21BL	SSA61BL
EAN code	5012158653866	5012158669324	5012158030230	5012158655785	5012158030131	5017134130393
Packaging	Individually boxed		Pack of 5	Individually boxed	Pack of 5	Pack of 5
Multiples / Pack	05 per outer / 100 per pallet		05 per box / 150 per pallet	05 per outer / 100 per pallet	05 per box / 150 per pallet	05 per box / 150 per pallet
Weight	1.7 kg					
Hinge Feature	Bottom Fix					
Hinge material	Plastic	Non Cranked Stainless Steel	Plastic	Plastic		Plastic
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resistant to scratches, UV and chemicals Resilient: extremely strong, durable and hard wearing Hygienic: made of naturally antibacterial material Ideal for contract purposes for medium to high traffic areas Plastic or 304 stainless steel Hinge material available 					


UNIVERSAL SHAPE
TOILET SEATSD- SHAPE
TOILET SEATSADDITIONAL NEEDS
TOILET SEATS

SPARES & ACCESSORIES

SEAT

EVEREST

Description	WHITE SEAT + COVER
Reference	20120729
EAN code	5017134149234
Packaging	Individually boxed
Multiples / Pack	05 per outer / 90 per pallet
Weight	2.1 kg
Hinge Feature	Top Fix, Soft Close, Quick Release
Hinge material	Stainless Steel
	
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resilient: extremely strong, durable and hard wearing Resistant to scratches, UV and chemicals Hygienic: made of naturally antibacterial material Ideal for blind hole fixing



SEAT

CASABLANCA

Description	WHITE SEAT + COVER
Reference	20120728
EAN code	5017134149227
Packaging	Individually boxed
Multiples / Pack	05 per outer / 90 per pallet
Weight	2.2 kg
Hinge Feature	Top Fix, Soft Close, Quick Release
Hinge material	Stainless Steel
	
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resilient: extremely strong, durable and hard wearing Resistant to scratches, UV and chemicals Hygienic: made of naturally antibacterial material Ideal for blind hole fixing




DIAGRAM - 20120728
Full dimensional details
per hinge p32

SEAT

SONATA (SEAT + COVER) SET BRITISH STANDARD - BS1254 "TYPE 1"




DIAGRAM:
Plastic Hinge only.
Full dimensional details
per hinge p32



Description	WHITE SEAT + COVER					BLACK SEAT + COVER			
Reference	SSO11WH	SSO12WH	SSO15WH	SSO17WH	SSO21WH	SSO11BL	SSO12BL	SSO15BL	SSO21BL
EAN code	5012158010232	5012158669409	5012158672119	5012158689353	5024139038968	5012158653484	5012158669362	5017134132212	5012158010133
Packaging	Individually boxed				Pack of 5	Individually boxed			
Multiples / Pack	05 per outer / 100 per pallet				05 per box / 120 per pallet	05 per outer / 100 per pallet			
Weight	2.5 kg								
Hinge Feature	Bottom Fix		Top Fix	Bottom Fix		Bottom Fix		Top Fix	Bottom Fix
Hinge material	Plastic	Non Cranked Stainless Steel	Stainless Steel	Chromed Brass	Plastic	Plastic	Non Cranked Stainless Steel	Stainless Steel	Plastic
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resilient: extremely strong, durable and hard wearing Resistant to scratches, UV and chemicals Hygienic: made of naturally antibacterial material Ideal for contract purposes for high traffic areas Plastic or 304 stainless steel Hinge material available 								

SEAT

SONATA (SEAT ONLY) SET BRITISH STANDARD - BS1254 "TYPE 1"




Description	WHITE SEAT ONLY				BLACK SEAT ONLY	
Reference	SS051WH	SS053WH	SS055WH	SS065WH	SS053BL	SS055BL
EAN code	5012158667122	5012158669416	5012158672102	5024139039088	5012158669379	5024139039286
Packaging	Individually boxed			Box of 6	Individually boxed	
Multiples / Pack	07 per outer / 140 per pallet		07 per outer / 140 per pallet	06 per box / 180 per pallet	07 per outer / 140 per pallet	
Weight	1.5 kg					
Hinge Feature	Bottom Fix		Top Fix	Top Fix	Bottom Fix	Top Fix
Hinge material	Plastic	Non Cranked Stainless Steel	Stainless Steel	Stainless Steel	Non Cranked Stainless Steel	Stainless Steel
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resilient: extremely strong, durable and hard wearing Resistant to scratches, UV and chemicals Hygienic: made of naturally antibacterial material Ideal for contract purposes for high traffic areas Plastic or 304 stainless steel Hinge material available 					

SEAT

WOODY PARAMOUNT

Description	WHITE SEAT + COVER
Reference	21230001
EAN code	3375539049736
Packaging	Individually boxed
Multiples / Pack	01 / 04 / 80
Weight	2.7 kg
Hinge Feature	Bottom Fix
Hinge material	Plastic - Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Mouldwood Longlasting material Successfully tested to 20,000 opening/closing cycles Matching colour plastic Hinge material



SEAT

WOODY

Description	WHITE SEAT + COVER
Reference	21230004
EAN code	3375537127320
Packaging	Individually boxed
Multiples / Pack	01 / 03 / 60
Weight	2.5 kg
Hinge Feature	Bottom Fix
Hinge material	Metal - Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Mouldwood Longlasting material Successfully tested to 20,000 opening/closing cycles 304 stainless steel Hinge material



UNIVERSAL SHAPE
TOILET SEATSD- SHAPE
TOILET SEATSADDITIONAL NEEDS
TOILET SEATS

SPARES & ACCESSORIES

SEAT

WOODY LUX

Description	WHITE SEAT + COVER
Reference	20719569
EAN code	3375537194971
Packaging	Individually boxed
Multiples / Pack	01 / 03 / 60
Weight	3.5 kg
Hinge Feature	Bottom FIX, Soft Close
Hinge material	Metal - Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Mouldwood High strength compressed wood with a white glossy paint finish Successfully tested to 20,000 opening/closing cycles Chrome plated soft close Hinge material




DIAGRAM - 20719569
Full dimensional details
per hinge p33



D SHAPE

TOILET SEATS



DESCRIPTION	WEIGHT (KG)	PAGE NUMBER
DISCO	2.5	23



UNIVERSAL SHAPE
TOILET SEATSD SHAPE
TOILET SEATSADDITIONAL NEEDS
TOILET SEATS

SPARES & ACCESSORIES

SEAT

DISCO

Description	WHITE SEAT + COVER
Reference	20721512
EAN code	3375537659340
Packaging	Individually boxed
Multiples / Pack	01 / 04 / 72
Weight	2.5 kg
Hinge Feature	Top Fix, Soft Close, Quick Release, Lock Plus
Hinge material	Pre assembled
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Resilient: extremely strong, durable and hard wearing Fully wrap over with square edges D-Shape Resistant to scratches, UV and chemicals Hygienic: made of naturally antibacterial material Ideal for blind hole pans




DIAGRAM - 20721512
Full dimensional details
per hinge p33



ADDITIONAL NEEDS

TOILET SEATS



DESCRIPTION	WEIGHT (KG)	PAGE NUMBER
CELESTE PRO	2.2	25
CELESTE PLUS	2.2	26
CRESCENT ADULT SEAT ONLY	1.6	27
CRESCENT JUNIOR SEAT ONLY	1.1	28

› ASTHETICALLY PLEASING SEATS WITH YOUR NEEDS IN MIND



SEAT

CELESTE PRO



Description	WHITE SEAT AND COVER WITH C/P TOP FIX HINGE AND RAISED LOCATING BUFFERS	WHITE SEAT ONLY WITH C/P TOP FIX HINGE AND RAISED LOCATING BUFFERS
Reference	SCI11WY	SCI51WY
EAN code	5024139038753	5024139038777
Packaging	Individually boxed	
Multiples / Pack	04 per outer / 80 per pallet	05 per outer / 100 per pallet
Weight	2.2 kg	1.6 kg
Hinge Feature	Top Fix	
Hinge material	Solid brass adjustable hinge, Stainless steel fittings	
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Hygienic: made of naturally antibacterial material Resistant to scratches, UV and chemicals Ergonomical seat for maximum comfort when sitting for a long time Adjustable locating buffers ideal for hospitals and care homes 	



- 4 buffers on the seat including 2 locating buffers for more stability
- 2 buffers on the cover
- Increased height (28mm)



SMART

FOR ELDERLEY

- Adjustable and increased height of (28mm) on additional buffers makes this seat ideal for elderly without having to change the existing pan.
- Ideal for hospitals, care homes and the elderly.




DIAGRAM - SCI11WY
Full dimensional details
per hinge p33






DIAGRAM - SCK11WY
Full dimensional details
per hinge p33



Description	WHITE SEAT AND COVER WITH C/P TOP FIX HINGE AND LOCATING BUFFERS	WHITE SEAT ONLY WITH C/P TOP FIX HINGE AND LOCATING BUFFERS
Reference	SCK11WY	SCK51WY
EAN code	5024139036834	5024139037398
Packaging	Individually boxed	
Multiples / Pack	05 per outer / 100 per pallet	05 per outer / 100 per pallet
Weight	2.2 kg	1.6 kg
Hinge Feature	Top Fix	
Hinge material	Solid brass adjustable hinge, Stainless steel fittings	
Features and benefits	<ul style="list-style-type: none"> Naturally antibacterial thermoset material Resilient: adjustable locating buffers to hold the seat on the pan when sliding from the wheelchair onto the pan Resistant to scratches, uv and chemicals Ergonomical seat for maximum comfort when sitting for a long time Non corrosive 304 stainless steel hinge material Top fix fitting : ideal for blind holes pans 	

SEAT

CRESCENT ADULT



Description	WHITE SEAT ONLY		BLACK SEAT ONLY	
Reference	SCR51WH	SCR53WH	SCR51BL	SCR53BL
EAN code	5012158650988	5012158669041	5012158655846	5012158669003
Packaging	Individually boxed			
Multiples / Pack	07 per outer / 140 per pallet			
Weight	1.6 kg			
Hinge Feature	Bottom Fix			
Hinge material	Plastic	Non Cranked Stainless Steel	Plastic	Non Cranked Stainless Steel
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Hygienic: made of naturally antibacterial material Resistant to scratches, UV and chemicals Gap front seat to reduce contact with bacteria > Ideal for hospitals and care homes 			




DIAGRAM - SCR53WH
Full dimensional details
per hinge p33



SEAT

CRESCENT JUNIOR



Description	WHITE SEAT ONLY		BLACK SEAT ONLY	
Reference	SCJ51WH	SCJ53WH	SCJ51BL	SCJ53BL
EAN code	5012158691820	5012158669102	5012158661922	5012158669089
Packaging	Individually boxed			
Multiples / Pack	07 per outer / 140 per pallet			
Weight	1.1 kg			
Hinge Feature	Bottom FIX			
Hinge material	Plastic	Non Cranked Stainless Steel	Plastic	Non Cranked Stainless Steel
Features and benefits	<ul style="list-style-type: none"> Material: Thermoset Hygienic: made of naturally antibacterial material Designed to fit 12" school pans Resistant to scratches, UV and chemicals Gap front seat to reduce contact with bacteria >ideal for schools Made in the UK 			





DIAGRAM - SCJ53WH
Full dimensional details
per hinge p33



BUFFERS



HINGES - PLASTIC



Description	BUFFER KIT PACK 1	BUFFER KIT PACK 2	BUFFER KIT PACK 3	BUFFER KIT PACK 4	BUFFER KIT PACK 5	SONATA SEAT BUFFER	LOCATING BUFFERS KIT
	20 cover + 20 seat buffers					40 seat buffers	Kit for 1 seat
Reference	20120542	20120543	20120544	20120545	20120546	20120586	20120624
EAN code	5017134147360	5017134147377	5017134147384	5017134147391	5017134147407	5017134147803	5017134148183
Packaging	Bag	Bag	Bag	Bag	Bag	Bag	Bag
Multiples / Pack	01/25	01/25	01/25	01/25	01/25	01/25	01/25
Material	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Seat names/ references	Magnum, Nadix	Crescent Adult, Crescent Junior and Sonata	Aria, Calypso, Lyric, MDT51, Mercury, Neptune, Saxon, Tamar	Concerto	Flamenco, Sapphire	Sonata Seat only	Celeste +
Suitable for	Up to 5 seats	Up to 5 seats	Up to 5 seats	Up to 5 seats	Up to 5 seats	Up to 10 seats	1 seat

Description	EXCENTRIC WHITE PLASTIC HINGE	DDP WHITE PLASTIC HINGE	DDP BLACK PLASTIC HINGE	TOP FIX WHITE PLASTIC HINGE + WHITE ROD	WHITE PLASTIC HINGE ROD 193MM
Reference	FDR11WH	20120563	20120564	FTF11WH	20120615
EAN code	5012158674588	5017134147575	5017134147582	5017134131802	5017134148091
Packaging	Bag	Bag	Bag	Bag	Bag
Multiples / Pack	01/100	01/50	01/50	01/75	01/50
Fixation type	B/F	B/F	B/F	T/F	-
Material	Plastic	Plastic	Plastic	Plastic	Plastic
Seat names/ references	HDT51, MDT51, MDPP1, Neon, International, Flamenco, Melody, VIP	Sonata, Saxon, Calypso, Tamar, Concerto, Neptune, Lyric	Sonata, Saxon, Calypso,	Sonata, Calypso, Concerto, Neptune & Lyric	Sonata, Calypso, Concerto, Neptune & Lyric
Lock +				Not compatible	Not compatible
	8mm Lock+ Included	8mm Lock+ Included	8mm Lock+ Included		

HINGES




Description	NON CRANKED STAINLESS STEEL FITTINGS	BOTTOM FIX EXCENTRIC STAINLESS STEEL HINGE	TOP FIX EXCENTRIC STAINLESS STEEL HINGE	TOP FIX ROD HINGE	CHROME PLATED ROD HINGE	CRANKED STAINLESS STEEL FITTING	SOFT CLOSE QUICK RELEASE AND TOP FIX C/P BODY HINGE AND SS FITTINGS	SOFT CLOSE QUICK RELEASE AND TOP FIX PLASTIC BODY HINGE AND SS FITTINGS	FD211SS HINGE KIT – SPARES
Reference	20120547	20120345	20120344	20120566	20120567	20120548	20120342	20120343	20120625
EAN code	5017134147414	5017134133431	5017134133424	5017134147605	5017134147612	5017134147421	5017134133400	5017134133417	5017134148190
Packaging	Bag	Box	Box	Bag	Bag	Bag	Box	Box	Bag
Multiples / Pack	01/35	01/48	01/48	01/60	01/60	01/35	01/48	01/48	01/60
Fixation type	B/F	B/F	T/F	T/F	B/F	B/F	SC/QR/TF	SC/QR/TF	B/F
Material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Chromed Brass	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Seat names/ references	Sonata, Saxon, Crescent Junior	Flamenco	Flamenco	Sonata, Celeste Plus	Sonata	Saxon, Celeste, mini P72, Tamar	Flamenco	Flamenco	Sonata
Lock +	Compatible with 8 mm Lock + (20120455)	 Included	 Included	Compatible with 6 mm Lock + (20120454)	Compatible with 6 mm Lock + (20120454)	Compatible with 8 mm Lock + (20120455)	 Included	 Included	Compatible with 8 mm Lock + (20120455)

THERMOPLASTIC UNIVERSAL SHAPE												
	Leon	International	Flamenco Plastic hinge	Flamenco B/F Metal hinge	Flamenco T/F Metal hinge	Sapphire	Calypso	First	Emerald plastic hinge	Emerald metal hinge	Tango	
Hinge type	Plastic	●	●	●		●	●	●	●			
	Stainless steel			●	●							
	CP brass									●		
Hinge features	Bottom Fix	●	●	●	●	●	●	●	●			
	Top Fix					●				●	●	
	Soft Close							●			●	
	Quick Release					●					●	
Hinge fittings	Lock +	●	●	●	●	●	●	●	●			
	Plastic	●	●	●		●	●	●	●			
	Metal									●	●	
	Stainless steel			●	●							
Lock +		20120455	20120455	20120455	20120454	20120454	n/a	n/a	n/a	n/a	n/a	
Application	High traffic			●	●	●			●	●	●	
	Medium Traffic	●	●	●	●	●	●	●	●	●	●	
	Domestic	●	●	●	●	●	●	●	●	●	●	
	Doc M											
	School											
Finish	White	●	●	●	●	●	●	●	●	●	●	
	Black		●			●	●	●	●	●	●	
Buffers	Seat	n/a	4	4	4	4	4	4	n/a	n/a	4	
	Cover	n/a	2	n/a	n/a	n/a	2	2	n/a	n/a	n/a	
	Buffer Kit No	n/a	n/a	20120546	20120546	20120546	20120546	20120544	n/a	n/a	n/a	
Dimensions (mm)	Seat width	380	360	386	386	386	378	370	365	380	380	360
	Adjustability (Mini to maxi seat projection)	424-434	412-446	412-427	390-431	390-435	433-446	425-440	412-426	430-450	430-450	433-458
	Hole centres	155-198	147-182	158-220	120-165	140-160	134-178	135-175	140-170	145-180	145-180	135-170
	Inner width	235	235	236	236	236	231	233	207	235	235	225
	Inner length	287	287	277	277	277	283	280	275	275	275	290
Weight	Light	●	●				●					
	Medium			●	●	●	●	●				●
	Heavy								●	●		
Weight in kg		0.9	1.0	1.3	1.3	1.3	1.3	1.3	1.7	1.8	1.8	1.7

	Saxon plastic hinge	Saxon metal hinge	Everest	Casablanca	Sonata Plastic hinge	Sonata B/F metal hinge FSS11SS	Sonata B/F metal hinge FBC11CP	Sonata B/F metal hinge FSS13SS	Sonata T/F metal hinge 218814
Hinge type	Plastic	●							
	Stainless steel		●	●		●	●	●	
	CP brass				●				●
Hinge features	Bottom Fix	●	●			●	●	●	
	Top Fix			●	●				●
	Soft Close			●	●				
	Quick Release			●	●				
	Lock +		●	●	●	●	●	●	●
Hinge fittings	Plastic	●				●			
	Metal								
	Stainless steel		●	●	●	●	●	●	●
Lock+									
Application	High traffic		●	●	●	●	●	●	●
	Medium Traffic	●	●	●	●	●	●	●	●
	Domestic	●	●	●	●	●	●	●	●
	Doc M								
	School								
Finish	White	●	●	●	●	●	●	●	●
	Black	●	●		●				
Buffers	Seat	4	4	4	4	4	4	4	4
	Cover	2	2	2	2	2	2	2	2
	Buffer Kit No	20120544	20120544	n/a	n/a	20120543	20120543	20120543	20120543
Dimensions (mm)	Seat width	375	375	370	375	390	390	390	390
	Adjustability (Min to maxi seat projection)	425-451	435	410-460	420-470	425-455	440	440	440
	Hole centres	140-180	135-155	105-205	105-205	140-178	155-170	170	155-170
	Inner width	228	228	227	229	235	235	235	235
	Inner length	277	277	288	289	282	282	282	282
Weight	Light								
	Medium	●	●						
	Heavy			●	●	●	●	●	●
Weight in kg		1.6	1.6	2.1	2.2	2.5	2.5	2.5	2.5

MDF - UNIVERSAL SHAPE				THERMOSET D-SHAPE				ADDITIONAL NEEDS								
	Woody Paramount	Woody	Woody Lux		Disco		Celeste Pro		Celeste Plus		Crescent Adult seat only plastic hinge	Crescent Adult seat only metal hinge		Crescent Junior seat only plastic hinge		Crescent Junior seat only metal hinge
Hinge type	Plastic	●												●		
	Stainless steel		●						●			●				●
	CP brass															●
Hinge features	Bottom Fix	●	●	●										●		●
	Top Fix															
	Soft Close			●												
	Quick Release															
	Lock +															
Hinge fittings	Plastic	●												●		
	Metal															●
	Stainless steel		●													●
Lock +																
Application	High traffic															
	Medium Traffic		●	●												
	Domestic	●	●	●												
	Doc M															
	School													●		●
Finish	White													●		●
	Black													●		●
Buffers	Seat	4	4	4										2		2
	Cover	2	2	2										n/a		n/a
	Buffer Kit No	n/a	n/a	n/a										20120543		20120543
Dimensions (mm)	Seat width	370	370	370										306		306
	Adjustability (Mini to maxi seat projection)	425-447	430-453	421-469										374		372
	Hole centres	130-178	135-215	104-200										397		397
	Inner width	219	225	225										425		425
	Inner length	254	295	295										405-440		425
Weight	Light															
	Medium															
	Heavy	●	●	●										363-395		378
Weight in kg		2.7	2.5	3.5										1.6		1.6
														1.1		1.1

FLUSHING



wirquin

MERCHANDISING TOOLS



- › CONSISTENT AND SELF EXPLANATORY PACKAGING
- › SELECTION OF MERCHANDISING TO CHOOSE FROM

TOUCHLESS

FLUSH VALVE NO TOUCH FLUSHING MECHANISM



100% HYGIENIC

- Touchless infrared detection button



WATER SAVING

- Water Volume Control



QUICK AND EASY TO INSTALL AND MAINTAIN: NO HEIGHT ADJUSTMENT COMPENSATES MISALIGNMENT BETWEEN LID HOLE AND TANK

- Cable operated system



DESIGN AND SECURITY

- Button IR detection or manual activation if needed



PROVEN PERFORMANCE

- Endurance tested to 200,000 flush cycles.

Description	TOUCHLESS FLUSH VALVE & SENSOR	TOUCHLESS FLUSHING KIT WITH JOLLIFILL AIR TELESCOPIC INLET VALVE
Reference	10950189	10950190
EAN code	6425366005713	6425366005720
Packaging	Box	Box
Multiples / Pack	8 per outer/160 per pallet	6 per outer/120 per pallet
Suitable cistern height (mm)	320 to 420mm	320 to 420mm
Button diameter	38 to 45 mm	38 to 45mm
Cable length	300 mm	300 mm
Main characteristics	Battery Operated (4 x AA) Touchless infrared variable flushing valve, Flush rate of 2.2L/s, -Suitable for 1.5" or 2" mechanism outlet. Suitable for ceramic cisterns.	Battery Operated (4 x AA) Touchless infrared variable flushing valve, -Flush rate of 2.2L/s, -Suitable for 1.5" or 2" mechanism outlet, -Adjustable Jollyfill Air telescopic, delayed action, inlet valve. Suitable for ceramic cisterns.
Contents	1 x Eco stop flushing valve and sensor button 1 x Close coupling washer Bolted close kit	1 x Eco stop flushing valve and sensor button 1 x Jollyfill Air brass bottom entry inlet valve 1 x Close coupling washer Bolted close kit

FLUSH VALVES - CABLE OPERATED



Did you know?

WIRQUIN invented the cable operated flush



FLUSH VALVES - LID LOCKING






Description	JOLLYFLUSH DUAL FLUSH MECHANISM - 2" & 1 1/2"	KAYLA 2" & 1 1/2" DUAL FLUSH VALVE	WIRQUIN ONE 2" DUAL FLUSH VALVE
Reference	10120446	DVA0100	10120440
EAN code	5017134146400	5017134115376	5017134134247
Packaging	Box	Box	Box
Multiples / Pack	08 per outer / 160 per pallet	14 per outer / 168 per pallet	08 per outer / 160 per pallet
Suitable cistern height (mm)	300 To 420	300 to 420	260 to 400 mm
Flush rate l/sec	2.2 Wras: 1.9	1.9	2.4
Button diameter	14 to 46 mm	16 to 38 mm	40 mm
Mechanism outlet (inches)	1.5" or 2"	1.5" or 2"	2"
Water saving	Dual flush	Dual flush	Dual flush
Cable length	300 mm	400 mm	N/A (Lid Locking)
Top or front mechanism	Top or front	Top or front	Top
Main characteristics	Adjustable overflow (240 To 270mm).	Multi full and part flush settings, adjustable overflow (190-330mm)	Suitable for 2" close coupled cisterns only.
Technical drawing			

FLUSH VALVES - PNEUMATIC OPERATED

2
YEARS
GUARANTEE

- Water saving dual flushing valve
- Adjustable Full and part flush volume settings
- Adjustable internal overflow, making it ideal for both new and retrofit installations
- Removable top for easy cleaning and replacement
- Flushpipe stops on the base for correct installation
- Easy clean seal for quick maintenance
- Suitable for use with our Pneu-Compact Cisterns
- WRAS approved



Description	KAYLA 2" DUAL FLUSH VALVE COMPLETE WITH KARA 72MM CHROME DUAL FLUSH PUSH BUTTON	KAYLA 2" DUAL FLUSH VALVE ONLY - NO BUTTON	KAYLA 1 1/2" SINGLE FLUSH VALVE ONLY NO BUTTON
Reference	DVA0500	DVA5200	DVA5350
EAN code	5017134116472	5017134119459	5017134120462
Packaging	Bag	Bag	Bag
Multiples / Pack	20 per outer / 400 per pallet	20 per outer / 400 per pallet	20 per outer / 400 per pallet
Flush rate l/sec	2.1	2.1	2.1
Mechanism outlet (inches)	2"	2"	1.5"
Water saving	Dual flush	Dual flush	Single flush
Air hose length	1.5m	1.5m	1.5m
Technical drawing			

FLUSH VALVES KITS

10
YEARS
GUARANTEE*Flush &
Inlet Valve*Flush &
Inlet Valve*Flush &
Inlet Valve

Description	BRASS JOLLYFILL AIR + JOLLYFLUSH PACK	PLASTIC JOLLYFILL AIR + JOLLYFLUSH PACK	PLASTIC JOLLYFILL AIR + KAYLA PACK
Reference	10120677	10120673	10120671
EAN code	5017134148718	5017134148671	5017134148657
Packaging	Box	Box	Box
Box / outer / pallet	06 per outer / 120 per pallet	06 per outer / 120 per pallet	06 per outer / 120 per pallet
Suitable cistern height (mm)	300 to 420	300 to 420	300 to 420
Flush rate l/sec	1.9	1.9	1.9
Button diameter	14 to 46 mm	14 to 46 mm	16 to 38 mm
Mechanism outlet (inches)	1.5" or 2"	1.5" or 2"	1.5" or 2"
Water saving	Dual flush	Dual flush	Dual flush
Cable length	300 mm	300 mm	400 mm
Top or front mechanism	Top or front	Top or front	Top or front
Inlet valve	1/2" brass tail	1/2" plastic tail	1/2" plastic tail
Main characteristics	Universal fittings kit is suitable for almost all bottom entry close coupled cisterns. The Jollyflush cable operated flush valve is suitable for both 1.5" and 2" cistern outlets and the telescopic Jollyfill Air inlet valve is adjustable in height to fit any height of cistern and is Airgap compliant.	Universal fittings kit is suitable for almost all bottom entry close coupled cisterns. The Jollyflush cable operated flush valve is suitable for both 1.5" and 2" cistern outlets and the telescopic Jollyfill Air inlet valve is adjustable in height to fit any height of cistern and is Airgap compliant.	Universal fittings kit is suitable for almost all bottom entry close coupled cisterns. The Kaylacable operated flush valve is suitable for both 1.5" and 2" cistern outlets and the telescopic Jollyfill Air inlet valve is adjustable in height to fit any height of cistern and is Airgap compliant.
Technical drawing			

SIPHONS



3 PIECE SIPHON
PACKAGING: BAG

MULTIPLE/BOX QUANTITY: 01/10
CONTROL SYSTEM: LEVER
SINGLE FLUSH




HEIGHT	C-LINK		METRO RAPID - OBLONG	METRO RAPID - ROUND	METRO RAPID - SQUARE	METRO RAPID - D-SHAPE
		Bell house measurement	90 x 135mm	125 x 125mm	110 x 100mm	130 x 93mm
7.5"	2 1/4"	Reference	DSY8725	DSY7125	DSY7925	DSD7125
		EAN code	5017134105209	5017134105025	5017134105124	5017134104622
8"	2 1/4"	Reference	DSY8825	DSY7225	DSY8025	DSD8225
		EAN code	5017134105216	5017134105032	5017134105131	5017134104639
8.5"	2 1/4"	Reference	DSY8875	DSY7275	-	-
		EAN code	5017134119589	5017134115154	-	-
9"	2 1/4"	Reference	DSY8925	DSY7325	DSY8125	DSD9325
		EAN code	5017134105223	5017134105049	5017134105148	5017134104646
9.5"	2 1/4"	Reference	DSY9025	DSY7425	DSY8225	DSD9425
		EAN code	5017134105230	5017134105056	5017134105155	5017134104653
10"	4 3/8"	Reference	DSY9138	-	-	DSD1538
		EAN code	5017134105247	-	-	5017134104592
10.5"	4 3/8"	Reference	DSY9238	-	-	DSD1638
		EAN code	5017134105254	-	-	5017134104608
NOTE: For internal overflow measure from the base of the cistern to the waterline and add 1", ensuring that the measurement is a minimum of 10mm below any aperture in the cistern to decide what height siphon is required for the installation.		<ul style="list-style-type: none"> ► Ideal for use in standard size cisterns ► Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ► Flush volumes can be varied between 6/7/9 litres making it suitable for replacement installations ► All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ► Internal overflow ► Ideal for use with compact narrow cisterns where space may be an issue ► Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ► All siphons supplied complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ► Internal overflow ► Square shaped siphon is ideal for installation in narrow yet deep cisterns ► Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ► All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ► Internal overflow ► Well suited for installation in slimline cisterns ► Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ► All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ► Internal overflow 				

SIPHONS



- The Metro range is a well established siphon offering a high level of reliability
- On the Metro, flush volume can be varied between 6/7/9 litres, making it suitable for replacement installations
- All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard
- Complete with internal overflow
- WRAS approved



Description	METRO SINGLE FLUSH			METRO DUAL FLUSH		
	7 1/2" ONE PIECE SIPHON COMPLETE WITH 2 1/4 METAL C-LINK AND LOW LEVEL FLUSHPIPE SEAL	9 1/2" ONE PIECE SIPHON COMPLETE WITH 2 1/4 METAL C-LINK AND LOW LEVEL FLUSHPIPE SEAL	10" ONE PIECE SIPHON COMPLETE WITH 4 3/8 METAL C-LINK AND LOW LEVEL FLUSHPIPE SEAL	8" ONE PIECE SIPHON COMPLETE WITH 2 1/4 METAL C-LINK AND LOW LEVEL FLUSHPIPE SEAL	8 1/2" ONE PIECE SIPHON COMPLETE WITH 2 3/4 METAL C-LINK AND LOW LEVEL FLUSHPIPE SEAL	9" ONE PIECE SIPHON COMPLETE WITH 2 1/4 METAL C-LINK AND LOW LEVEL FLUSHPIPE SEAL
Reference	DSY0125	DSY0425	DSY0538	DSY0225	DSY0275	DSY0325
EAN code	5017134104769	5017134104790	5017134104813	5017134104776	5017134120097	5017134104783
Packaging	Bag	Bag	Bag	Bag	Bag	Bag
Multiple / Box qty	01/10	01/10	01/10	01/10	01/10	01/10
Mechanism base inches	1.5	1.5	1.5	1.5	1.5	1.5
Control system	Lever	Lever	Lever	Lever	Lever	Lever

NOTE: For internal overflow measure from the base of the cistern to the waterline and add 1", ensuring that the measurement is a minimum of 10mm below any aperture in the cistern to decide what height siphon is required for the installation.

METRO SIPHON SPARES



Description	METRO RAPID OR METRO ONE SIPHON DIAPHRAGM WASHER - OBLONG	LOW LEVEL METRO SIPHON SPARE KIT	METRO 2 1/4" METAL C-LINK	METRO 4 3/8" METAL C-LINK
Reference	10120576	10120579	10120580	10120581
EAN code	5017134147704	5017134147735	5017134147742	5017134147759
Packaging	Bag	Bag	Bag	Bag
Multiple / Box qty	Sold by 5's – Outer of 200 packs	01/60	Sold by 100's Outer of 6 packs	Sold by 100's Outer of 6 packs

INLET VALVES

2
YEARS
GUARANTEESILENTA
AIR

► **AIR GAP RANGE:** No joint under water level.

► **SAFE AND QUICK TO INSTALL:** WIRQUIN AIR range is designed to eliminate risk of back flow of water into mains supply.

- BS1212: Part 3
- Supplied with high and low pressure seating and backnut
- Height variation: bottom entry pedestal 8 1/2" to 10" and arm length 7 1/4" to 8 1/4"

Description	SILENTA AIR INLET SIDE ENTRY BALL VALVE LEVER ARM DIVERTER HIGH AND LOW PRESSURE SEATING AND BACKNUTS				SILENTA AIR INLET BOTTOM ENTRY BALL VALVE, CRANKED PEDESTAL COMPLETE WITH LEVER ARM DIVERTER HIGH AND LOW PRESSURE SEATING WASHER AND BACKNUT			
	Cranked Pedestal	8 1/4"	9 1/4"	8 1/2"	9 1/2"	8 1/2"	9 1/2"	10"
lever arm diverter length	8 1/4"	9 1/4"	7 1/4"	7 1/4"	8 1/4"	8 1/4"	8 1/4"	8 1/4"
Reference	DVS1082	DVS1092	DVS3872	DVS3972	DVS3882	DVS3982	DVS3182	
EAN code	5017134105452	5017134105469	5017134105520	5017134105551	5017134105537	5017134105568	5017134105506	
Packaging	Bag	Bag	Bag	Bag	Bag	Bag	Bag	
Multiple / Box qty	01/50	01/50	01/50	01/50	01/50	01/50	01/50	01/50
Inlet end	1/2" Plastic	1/2" Plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic
Filling rate at 0,1 bar	1.5L/min	1.5L/min	1.5L/min	1.5L/min	1.5 L/min	1.5L/min	1.5L/min	1.5L/min
Functioning range	0-1 to 14 bar	0-1 to 14 bar	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14
Main characteristics	complete with fittings, quick and easy to install		complete with fittings, quick and easy to install					

Suitable with DBS0420 or DBS0450 ball floats (See page 49)

INLET VALVES

10
YEARS
GUARANTEE

Description	JOLLYFILL AIR TELESCOPIC BOTTOM ENTRY BRASS INLET VALVE	JOLLYFILL AIR TELESCOPIC BOTTOM ENTRY PLASTIC INLET VALVE	JOLLYFILL AIR BOTTOM ENTRY FIXED INLET VALVE 1/2" PLASTIC
Reference	10120687	10120700	10120693
EAN code	5017134148817	5017134148947	5017134148879
Packaging	Box	Box	Box
Multiple / Box qty	16 per outer / 400 per pallet	16 per outer / 400 per pallet	16 per outer / 400 per pallet
Inlet tail	1/2" Brass	1/2" Plastic	1/2" Plastic
Working range	0.1 Up to 16 bar	0.1 Up to 16 bar	0.1 Up to 16 bar
Resistant to peaks of pressure	Up to 20 bars	Up to 20 bars	Up to 20 bars
Suitable cistern height (mm)	229-280	229-280	229-280
Water saving delayed action	Yes	Yes	Yes
Main characteristics	New generation of AUK1 Air Gap compliant inlet valves designed to eliminate the risk of backflow. Compact in size and with it's reversible water discharge, it's the perfect solution for the narrowest of cisterns.	New generation of AUK1 Air Gap compliant inlet valves designed to eliminate the risk of backflow. Compact in size and with it's reversible water discharge, it's the perfect solution for the narrowest of cisterns.	New generation of AUK1 Air Gap compliant inlet valves designed to eliminate the risk of backflow. Compact in size and with it's reversible water discharge, it's the perfect solution for the narrowest of cisterns.

Technical drawing			
-------------------	--	--	--

INLET VALVES



Description	JOLLYFILL AIR SIDE ENTRY PLASTIC INLET VALVE	JOLLYFILL AIR SIDE ENTRY BRASS INLET VALVE
Reference	10120701	10120694
EAN code	5017134148954	501713414886
Packaging	Box	Box
Multiple / Box qty	16 per outer / 400 per pallet	16 per outer / 400 per pallet
Inlet end	1/2" plastic	1/2" brass
Working range	0.1 up to 16 bar	0.1 up to 16 bar
Resistant to peaks of pressure	up to 20 bars	Up to 20 bars
Suitable cistern height (mm)	229-280	229-280
Water saving delayed action	Yes	Yes
Main characteristics	Rotating Head: 180° head rotation, ideal for compact narrow cisterns. Quiet fill. Anti-Fouling Float: Float housing prevents the float from fouling on the cistern wall or outlet valve .	Rotating Head: 180° head rotation, ideal for compact narrow cisterns. Quiet fill. Anti-Fouling Float: Float housing prevents the float from fouling on the cistern wall or outlet valve .
Technical drawing		

BALL FLOATS - SUPERFLOAT FLOATS ARE FOR COLD WATER USE ONLY

Description	5" SPHERICAL FLOAT WITH 5/16" BSW BRASS INSERT	6" SPHERICAL FLOAT WITH 5/16" BSW BRASS INSERT	8" SPHERICAL FLOAT WITH 7/16" BSW BRASS INSERT	10" SPHERICAL FLOAT WITH 9/16" BSW BRASS INSERT	12" SPHERICAL FLOAT WITH 5/8" BSW BRASS INSERT
Reference	DBS0540	DBS0640	DBS0840	DBS1040	DBS1240
EAN code	5017134102918	5017134102949	5017134102987	5017134102994	5017134103007
Packaging	Bag	Bag	Bag	Bag	Bag
Multiple / Box qty	100 per outer / 600 per pallet	50 per outer / 300 per pallet	20 per outer / 80 per pallet	10 per outer / 40 per pallet	5 per outer / 25 per pallet

BALL FLOATS - SUPERFLOAT FLOATS ARE FOR COLD WATER USE ONLY

Description	4 1/2" SPHERICAL FLOAT WITH 5/16" BSW BRASS INSERT, PACKED AND SOLD IN 10S	4 1/2" SPHERICAL FLOAT WITH PLASTIC THREADS, PACKED AND SOLD IN 10S	4 1/2" CYLINDRICAL FLOAT WITH PLASTIC THREADS, PACKED AND SOLD IN 10S
Reference	DBS0420	DBS0450	DBC0440
EAN code	5017134102864	5017134102901	5017134102796
Packaging	Bag	Bag	Bag
Multiple / Box qty	10 per outer / 900 per pallet	10 per outer / 900 per pallet	10 per outer / 900 per pallet

Suitable with all Silenta Air inlet valves

URINAL Flushing

URINAL BOWL PIPEWORK (EXCLUDING SPREADERS)

Choosing the correct range for your installation

Cistern Offset


- The cistern offset is the distance from the back of the wall to the centre of the cistern hole. Please note that for any measurements outside of the sizes stated, the nearest one should be used. For example if the measurement is 70mm, the required offset would be 74mm.



Bowl Offset

- The bowl offset is determined by the distance required to allow the 15mm pipe to fit the suitable spreader when fixed to the urinal bowl. Concealed installations will generally have no offsets.

NO. OF BOWLS X OFFSET	74MM CISTERN OFFSET	90MM CISTERN OFFSET
1 X NO OFFSET	UFA11CP	UFA21CP
1 X 23MM OFFSET	UFA12CP	UFA22CP
2 X NO OFFSET	UFB11CP	UFB21CP
2 X 23MM OFFSET	UFB12CP	UFB22CP
3 X NO OFFSET	UFC11CP	UFC21CP
3 X 23MM OFFSET	UFC12CP	UFC22CP
4 X NO OFFSET	-	UFD21CP
4 X 23MM OFFSET	UFD12CP	UFD22CP
Main characteristics		Suitable for use with ceramic and plastic concealed and exposed cisterns



BRASS BODY

2
YEARS
GUARANTEE

PLASTIC BODY



Description	1 1/2" STAINLESS STEEL DOME, PLASTIC BACKNUT	1 1/4" PLASTIC BACKNUT	1 1/2" PLASTIC BACKNUT	1 1/2" PLASTIC BACKNUT
Reference	WUS02SS	WUS51WH	WUS52WH	WUS54WH
EAN code	5024139096814	5017134119916	5017134119718	5017134119930
Packaging	Box	Bag	Bag	Bag
Multiple / Box qty	01/48	01/25	01/200	01/200
Tail length mm	88 mm	50 mm	50 mm	90 mm
Technical drawing				

AUTO SIPHONS

2
YEARS
GUARANTEE

- ▶ Suitable for concealed or exposed plastic or ceramic cisterns
- ▶ Easy to remove siphon for routine maintenance
- ▶ Compatible with Wirquin urinal flushing range



URINAL SPREADERS



Description	1" OUTLET, 1 GALLON/4.5L	1" OUTLET, 2 GALLON/9L	1" OUTLET, 3 GALLON/13.6L	1/2" PETCOCK	15MM TOP INLET	15MM SANURA TOP INLET	15MM BACK INLET, 3" TAIL
Reference	10120572	10120573	10120574	10120575	USB36CP	UST43CP	USB38CP
EAN code	5017134147667	5017134147674	5017134147681	5017134147698	5024139100719	5024139078964	5024139073006
Packaging	Bag	Bag	Bag	Bag	Bag	Bag	Bag
Multiple / Box qty	25 per outer / 500 per pallet	25 per outer / 500 per pallet	25 per outer / 500 per pallet	200 per outer / 8000 per pallet	1	1	1

SPARES AND ACCESSORIES



SILENTA INLET SPARE

JOLLYFILL /TOPY INLET SPARE



Description	JOLLYFLUSH OVERFLOW WASHER FOR FLUSHING (MOQ 5)	JOLLYFLUSH DUAL FLUSH CHROME PUSH BUTTON (GREY CABLE) (MOQ 5)	JOLLYFLUSH DUAL FLUSH CHROME PUSH BUTTON (FOR WHITE, GREEN OR BLUE CABLE)	JOLLYFLUSH SINGLE FLUSH CHROME PUSH BUTTON***	BLACK CABLE 400MM FOR MW2/JOLLYFLUSH FLUSHVALVE	GREY CABLE 300MM FOR MW2/JOLLYFLUSH FLUSHVALVE	KARA 72MM CHROME DUAL FLUSH PUSH BUTTON*	KARA 50MM CHROME DUAL FLUSH PUSH BUTTON*	KARA 50MM CHROME SINGLE FLUSH PUSH BUTTON**	CASPIA DUAL FLUSH PUSH PLATE - CHROME	SILENTA BALL VALVE DIAPHRAGM WASHER	JOLLYFILL AND TOPY DIAPHRAGM WASHER (SOLD IN 5S)
Reference	10717748	10717795	19008001	19007001	10120756	19080001	SYG610CP	SYG611CP	SYG609CP	SYG612CP	10120582	10717797
EAN code	3375537177158	3375537177622	3375539046223	3375539046216	5017134149500	3375537162505	5017134119343	5017134119350	5017134119374	5017134119138	5017134147766	3375537177646
Packaging	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag
Multiple / Box qty	5	1	1	1	1	1	1	1	1	1	10	1

*Compatible with Kayla dual flush pneumatic flush valve only. **Compatible with Kayla single flush pneumatic valve only. *** Compatible with Jollyflush cable valve only.

DIAPHRAGMS



SIPHON SPARES



C-LINKS



Description	METRO RAPID OR METRO ONE SIPHON DIAPHRAGM WASHER - OBLONG	METRO RAPID DIAPHRAGM WASHER - SQUARE	METRO RAPID DIAPHRAGM - WASHER - ROUND	METRO RAPID DIAPHRAGM WASHER - D SHAPE	LOW LEVEL METRO SIPHON SPARE KIT	METRO 2 1/4" METAL C-LINK	METRO 4 3/8" METAL C-LINK
Reference	10120576	10120568	10120577	10120578	10120579	10120580	10120581
EAN code	5017134147704	5017134147629	5017134147711	5017134147728	5017134147735	5017134147762	5017134147759
Packaging	Bag	Bag	Bag	Bag	Bag	Bag	Bag
Multiple / Box qty	05 individual / 1000 per outer / 4000 per pallet					01/80	Sold by 100's Outer of 6 packs
						Sold by 100's Outer of 6 packs	Sold by 100's Outer of 6 packs



WirquinLtd



WirquinLtd



WirquinLtd



WirquinLtd UK

CISTERNS

A RANGE FOR ALL APPLICATIONS,
FROM RESIDENTIAL TO COMMERCIAL,
NEW BUILD TO RETROFIT



wirquin

CONCEALED CISTERN **DUO COMPACT**

- Most compact cistern on the market
- Ideal for bathroom furniture and in wall installations
- BS 1212-4 compliant JOLLYFILL Air inlet valve
- Water saving dual flush valve and delayed action inlet valve
- Fittings and flushpipe included
- W - 336mm x H - 320mm x D - 140mm

*Flushing & Inlet Valve



**BS 1212-4
COMPLIANT**



Reference	CDC41CP-AG	CDC71CP-AG
EAN code	5017134147865	5017134147872
Packaging	Box	Box
Pallet	1/54	1/54
Outlet	2"	2"
Flush	Kayla Dual Flush - Cable	Kayla Dual Flush - Cable
Flush volumes	6/4l + 4/2.6l	6/4l + 4/2.6l
Inlet	Jollyfill Air Side Entry	Jollyfill Air Bottom Entry
Access	Front & Top	Front & Top
Internal overflow	✓	✓
Assembled	✗	✗
Button	Chrome	Chrome
Spares & accessories	Refer to page 61	

CONCEALED CISTERN **PNEU COMPACT**

- Ideal for bathroom furniture and in wall installations
- BS 1212-4 compliant Jollyfill Air inlet valve
- Water saving dual flush valve and delayed action inlet valve
- 1.5m air hose
- Fittings and flushpipe included
- W - 336mm x H - 320mm x D - 140mm

*Flushing & Inlet Valve



**BS 1212-4
COMPLIANT**



Reference	CPL41CP-AG	CPL61CP-AG	CPL62CP-AG	CPL63CP-AG
EAN code	5017134147896	5017134147919	5017134147926	5017134147933
Packaging	Box	Box	Box	Box
Pallet	1/54	1/54	1/54	1/54
Outlet	1 1/2"	2"	2"	2"
Flush	Kayla Pneumatic			
Flush volumes	6l, 5l + 4l	6/5l, 5/3l + 4/2.6l	6/5l, 5/3l + 4/2.6l	6/5l, 5/3l + 4/2.6l
Inlet	Jollyfill Air Side Entry		Jollyfill Air Bottom Entry	Jollyfill Air Side Entry
Access	Front & Top	Front & Top	Front & Top	Front & Top
Internal overflow	✓	✓	✓	✓
Assembled	✓	✓	✓	✓
Button	Chrome - 50mm Kara	✗	✗	Chrome - 72mm Kara
Spares & accessories	Refer to page 61			

CONCEALED CISTERNS HIDEAWAY

- Traditional cistern ideal for installations behind deep ducted walls
- Varying length levers to suit different wall thicknesses
- Water saving siphon
- Metro Rapid (dual flush) allows for easy maintainance without removing the cistern
- Fittings and flushpipe included
- W - 505mm x H - 312mm x D - 146mm

*Siphon & Inlet Valve



CFH14DF



CONCEALED CISTERN HIDEAWAY AUTO

- Used with urinals where a concealed auto flush is required
- Suitable for both new and retrofit installations
- Compatible with our extensive range of urinal pipework and spreaders, refer to page 54 + 55
- W - 505mm x H - 312mm x D - 146mm

*Auto siphon



Reference	CFH0900	CFH1000	CFH0800
EAN code	5017134101317	5017134101324	5017134101300
Packaging	Box	Box	Box
Pallet	1/48	1/48	1/48
Outlet	1"	1"	1"
Flush	Auto Siphon	Auto Siphon	Auto Siphon
Flush volumes	1 gallon / 4.5l	2 gallon / 9l	3 gallon / 13.6l
Inlet	Petcock	Petcock	Petcock
Access	Top	Top	Top
Suitable for	1 Bowl	2 Bowls	3 Bowls
Spares & accessories	Refer to page 62		

EXPOSED CISTERN **ELAN**

- No1 exposed cistern on the market
- Ideal for both new and retrofit installations
- Lid fixing bolt for added security
- Fittings and flushpipe included (low level only)
- W - 505mm x H - 327mm x D - 150mm

*Siphon & Inlet Valve

** Flushpipe not included for high level



BS 1212-3
COMPLIANT



Reference	CFE41WH	CFE51WH	CFE02WH
EAN code	5018787380029	5018787350022	5018787340023
Packaging		Box	
Pallet		1/48	
Outlet		1 1/2"	
Flush		Metro Single Flush Siphon	
Flush volumes		6l, 7l + 9l	
Inlet	Silenta Side Entry Part 3 Ball Valve	Silenta Bottom Entry Part 3 Ball Valve	Silenta Side Entry Part 3 Ball Valve
Level	Low		High
Access		Top	
Overflow	Internal	Internal & External	Internal
Assembled		x	
Lever	Chrome		Cord & Pull
Spares & accessories		Refer to page 62	

EXPOSED CISTERN **ELAN AUTO**

- Used with urinals where an exposed auto flush is required
- Suitable for both new and retrofit installations
- Compatible with our extensive range of urinal pipework and spreaders, refer to page 54 + 55
- W - 505mm x H - 327mm x D - 150mm

*Auto siphon



Reference	CFE09WH	CFE10WH	CFE08WH
EAN code	5018787390028	5018787400024	5018787370020
Packaging	Box	Box	Box
Pallet	1/48	1/48	1/48
Outlet	1"	1"	1"
Flush	Auto Siphon	Auto Siphon	Auto Siphon
Flush volumes	1 gallon / 4.5l	2 gallon / 9l	3 gallon / 13.6l
Inlet	Petcock	Petcock	Petcock
Access	Top	Top	Top
Suitable for	1 Bowl	2 Bowls	3 Bowls
Spares & accessories	Refer to page 62		

CISTERN LEVERS



Description	SOFIA - CHROME PLATED METAL FINGERTIP LEVER, 115MM	SOFIA - CHROME PLATED PLASTIC LEVER, 115MM	CONCORD - HIGH LEVEL LEVER KIT WITH METAL CHAIN & WOODEN PULL	PLASTIC UNIVERSAL ADJUSTABLE ARM	200MM X 5/16" EXTENSION BAR
Reference	DCA01CP	DCA15CP	DCA09CP	DCA1700	LMZ2000
EAN code	5017134103076	5017134103380	5017134111613	5017134103403	507134128833
Multiple / Box QTY	01 / 80	01 / 200	01 / 50	01 / 300	01 / 100


DOC-M CISTERN LEVERS

HIDEAWAY CISTERN LEVERS



Description	CHROME METAL EASY USE LEVER	CHROME METAL 210MM LEVER KIT	CHROME METAL 340MM LEVER KIT	CHROME METAL 420MM LEVER KIT
Reference	DCA52CP	DCA66CP	DCA67CP	DCA39CP
EAN code	5017134128840	5017134103625	5017134103656	5017134103533
Multiple / Box QTY	01 / 38	01 / 36	01 / 30	01 / 24

FLUSHPIPES



Description	WHITE 14" X 9" (LOW LEVEL) FLUSHPIPE	WHITE 18" X 18" (LOW LEVEL) FLUSHPIPE	WHITE 24" X 18" (LOW LEVEL) FLUSHPIPE	WHITE 24" X 24" (LOW LEVEL) FLUSHPIPE	WHITE 5' 6" TWO PIECE HIGH LEVEL (BACK WALL) FLUSHPIPE	WHITE 7' 0" THREE PIECE HIGH LEVEL (SIDE WALL) FLUSHPIPE
Reference	DFP01WH	DFP05WH	DFP08WH	DFP09WH	DFP10WH	DFP12WH
EAN code	5017134104011	5017134104172	5017134104196	5017134104202	5017134104226	5017134104240
Multiple / Box / Pallet QTY	01 / 70 / 560	01 / 10 / 500	01 / 10 / 300	01 / 10 / 300	01 / 100	01 / 100

FLUSHPIPES

FLUSHING ACCESSORIES



Description	WHITE EXTENDED 2" TO 1 1/2" FLUSHPIPE (352MM X 510MM) COMPLETE WITH FLUSH BUNG	FLEXIBLE 2" FLUSHPIPE (WHITE)	FLEXIBLE 1 1/2" FLUSHPIPE (WHITE)	FLUSHPIPE UNIVERSAL PUSH OVER CONNECTOR	FLUSHPIPE UNIVERSAL BUNG
Reference	DFP215WH	59050001	59050101	DFC1800	59180004
EAN code	5017134128376	3375539053832	3375539076497	5017134103816	3375537160884
Multiple / Box / Pallet QTY	01 / 40 / 320	01 / 25 / 250	01 / 25 / 250	01 / 315 / 6300	01 / 100 / 5000

CISTERN ACCESSORIES




Description	WHITE BLANKING OFF PLUG COMPLETE WITH WASHER AND BACKNUT	CHROME PLATED BLANKING OFF PLUG COMPLETE WITH WASHER AND BACKNUT	CLOSE COUPLING KIT (1 1/2" OUTLET) COMPLETE WITH CLOSE COUPLING WASHER	STEPPED CONICAL CLOSE COUPLING WASHER (RUBBER) 1 1/2" (200'S)	PLAIN CONICAL CLOSE COUPLING WASHER (RUBBER) 1 1/2" (200'S)	CLOSE COUPLING WASHER 120MM X 57MM X 20MM (FOAM) 1 1/2" OUTLET (80'S)	CLOSE COUPLING WASHER 99MM X 57MM X 20MM (FOAM) 1 1/2" OUTLET (80'S)	CLOSE COUPLING WASHER 110MMX 70MM X 20MM (FOAM) 2" OUTLET (80'S)	GALVANISED CISTERN SUPPORT BRACKET	CLOSE COUPLING WASHER FOR 2" OUTLET	BOLTED CLOSE COUPLING KIT
Reference	DCA45WH	DCA45CP	DCP1400	50120622	50120623	50120616	50120617	50120618	50120571	M32	10717751
EAN code	5017134103557	5017134103540	5017134103731	5017134148169	5017134148176	5017134148107	5017134148114	5017134148121	5017134147650	3375530070210	5017134132151
Multiple / Box QTY	01 / 300	01 / 300	01 / 80	01 / 200	01 / 80	01 / 80	01 / 80	01 / 80	01 / 200	01 / 300	01 / 120

PLUMBING ACCESSORIES



Description	1/2" TAP AND BALL VALVE WASHERS (100'S)	3/4" TAP AND BALL VALVE WASHER (100'S)	3/4" OVERFLOW RUBBER WASHER (100'S)	2 3/8" X 1 11/16" X 1 1/4" LAVATORY WASHER (100'S)	3 1/2" X 1 15/16" X 1 1/2" SINK WASHER (100'S)	UNIVERSAL TOP HAT SPACERS 3/4" TO 1/2" (100'S)
Reference	DPA0900	DPA1000	50120620	DPA1200	DPA1600	DPA1700
EAN code	5017134104387	5017134104394	5017134148145	5017134104417	5017134104455	5017134104462
Multiple / Box QTY	01 / 100	01 / 100	01 / 10	01 / 50	01 / 20	01 / 15

CONCEALED CISTERN SPARES + ACCESSORIES



DUO COMPACT

Description	2" TO 1 1/2" KAYLA FLUSH VALVE	JOLLYFILL AIR BOTTOM ENTRY FIXED INLET VALVE 1/2" PLASTIC	JOLLYFILL AIR SIDE ENTRY PLASTIC INLET VALVE	ROUND DUAL FLUSH PUSH BUTTON	OVAL DUAL FLUSH PUSH BUTTON
Reference	DVA0100	10120693	10120701	50120569	50120570
EAN code	5017134115376	5017134148879	5017134148954	5017134147636	5017134147643



PNEU COMPACT

Description	1 1/2" KAYLA SINGLE FLUSH VALVE	2" KAYLA DUAL FLUSH VALVE	KARA SINGLE FLUSH BUTTON - 50MM	JOLLYFILL AIR BOTTOM ENTRY FIXED INLET VALVE 1/2" PLASTIC	JOLLYFILL AIR SIDE ENTRY PLASTIC INLET VALVE	KARA DUAL FLUSH BUTTON - 72MM	KARA DUAL FLUSH BUTTON - 50MM	CASPIA DUAL FLUSH PUSH PLATE - CHROME
Reference	DVA5350	DVA5200	SYG609CP	10120693	10120701	SYG610CP	SYG611CP	SYG612CP
EAN code	5017134120462	5017134119459	5017134119374	5017134148879	5017134148954	5017134119343	5017134119350	5017134119138

CONCEALED CISTERN SPARES + ACCESSORIES



HIDEAWAY

Description	METRO RAPID SINGLE FLUSH 8.5" SIPHON	SILENTA SIDE ENTRY INLET VALVE	BOTTOM ENTRY INLET VALVE	210MM CHROME LEVER KIT	340MM CHROME LEVER KIT	420MM CHROME LEVER KIT
Reference	DSY8875	DVS1092	DVF5200	DCA66CP	DCA67CP	DCA39CP
EAN code	5017134119589	5017134105469	5017134105391	5017134103625	5017134103656	5017134103533

EXPOSED CISTERN SPARES + ACCESSORIES



ELAN

TANKS

Description	8 1/2" ONE PIECE METRO SIPHON & FIXING KIT	SILENTA SIDE ENTRY INLET VALVE	BOTTOM ENTRY SILENTA INLET VALVE	115MM CHROME PLASTIC LEVER	4 GALLON/18 LITRE TANK	4 GALLON/18 LITRE TANK LID	BYELAW 30 KIT ENGLAND & WALES
Reference	DSY2138	DVS1092	DVF5200	DCA15CP	TTR0400	TLR0400	TBL3000
EAN code	5017134104929	5017134105469	5017134105391	5017134103380	5017134107210	5017134107067	5017134128857
Multiple / Pallet QTY					01 / 200	01 / 720	01 / 1000

WC FRAMES



wirquin

CHRONO

WC FRAME

CHRONO



BS 1212-4
COMPLIANT



*Flushing & Inlet Valve



› INNOVATIVE TECHNOLOGY FOR A RECORD INSTALLATION TIME

› DURABLE METALLIC STRUCTURE: Anti-corrosion coated steel, load tested to 400kg.

› EASY SERVICING large front access panel for ease of maintenance, access also possible from the rear for service duct installations.

› INNOVATIVE INSULATION SYSTEM. Double wall insulated tank.

› SIMPLIFIED HEIGHT ADJUSTMENT with an integrated braking system whilst keeping the feet in position.

› RAPID PAN INSTALLATION. No measurement or cutting of the flush pipe or pan connection.

› TOOL FREE PLATE INSTALLATION. Simple ratchet system to automatically adjust to the wall thickness.




WC FRAME



**BS 1212-4
COMPLIANT**



*Flushing & Inlet Valve



Description	CHRONO FRAME ONLY
Reference	50120560
EAN code	5017134147544
Packaging	Box
Multiple / Pallet qty	01/12
Fixing	Universal
Pan centres	180mm or 230mm
Inlet valve	Jollyfill Air side entry delayed action inlet valve
Flush valve	Jollyflush dual flush valve
Water saving	Dual flush, 6/4l
Load tested	400kg
Wall thickness	13mm - 50mm
Accessories	Refer to page 71

INITIO - 0.8m

WC FRAME INITIO-0.8M



BS 1212-4
COMPLIANT



10
YEARS
GUARANTEE



*Flushing & Inlet Valve



› A PERFECT SOLUTION FOR THE MOST COMPACT OF SPACES

› DURABLE METALLIC STRUCTURE: Lightweight and anti-corrosion coated steel, load tested to 400kg.

› EASY SERVICING large front access panel for ease of maintenance, access also possible from the rear for service duct installations.

› INNOVATIVE INSULATION SYSTEM. Double wall insulated tank.

› TOOL FREE PLATE INSTALLATION. Simple ratchet system to automatically adjust to the wall thickness.




WC FRAME



**BS 1212-4
COMPLIANT**



*Flushing & Inlet Valve



Description	INITIO 0.8M - FRAME ONLY	INITIO 0.8M FRAME - INC CHROME ESSENTIAL PLATE
Reference	50120511	50120558
EAN code	5017134147056	5017134147520
Packaging	Box	
Multiple / Pallet qty	01/15	
Fixing	Wall Hung	
Pan centres	180mm or 230mm	
Inlet valve	Jollyfill Air side entry delayed action inlet valve	
Flush valve	Jollyflush dual flush valve	
Water saving	Dual flush, 6/4l	
Load tested	400kg	
Wall thickness	13mm - 50mm	
Accessories	Refer to page 71	

INITIO - 1m

WC FRAME INITIO-1M



*Flushing & Inlet Valve



› A PERFECT SOLUTION FOR THE MOST COMPACT OF SPACES

› DURABLE METALLIC STRUCTURE: Lightweight and anti-corrosion coated steel, load tested to 400kg.

› EASY SERVICING large front access panel for ease of maintenance, access also possible from the rear for service duct installations.

› INNOVATIVE INSULATION SYSTEM. Double wall insulated tank.

› TOOL FREE PLATE INSTALLATION. Simple ratchet system to automatically adjust to the wall thickness.




WC FRAME



**BS 1212-4
COMPLIANT**



*Flushing & Inlet Valve



Description	INITIO 1M - FRAME ONLY	INITIO 1M FRAME - INCL CHROME ESSENTIAL PLATE
Reference	50120565	50120559
EAN code	5017134147599	5017134147537
Packaging	Box	
Multiple / Pallet qty	01/12	
Fixing	Wall Hung	
Pan centres	180mm or 230mm	
Inlet valve	Jollyfill Air side entry delayed action inlet valve	
Flush valve	Jollyflush dual flush valve	
Water saving	Dual flush, 6/4l	
Load tested	400kg	
Wall thickness	13mm - 60mm	
Accessories	Refer to page 71	

2 IN 1 FRAME

WC FRAME

2 IN 1: WC & BIDET FRAME




5
YEARS
GUARANTEE



Description **LOW LEVEL WC & BIDET FRAME**

Reference	50717863
EAN code	3375537178292
Packaging	Box
Multiple / pallet quantity	01/78
Fixing	Wall & floor
Load tested to	400kg
Application	Suitable for 400mm furniture units



PLATES

ESSENTIAL



Description	Shiny White
Reference	55720347
EAN code	3375537202720
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush




Description	Matt Chrome
Reference	55720349
EAN code	3375537202744
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush



Description	Shiny Chrome
Reference	55950009
EAN code	6425366002460
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush



Description	Matt Black
Reference	55722889
EAN code	3375537227716
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush



Compatible with the INITIO and CHRONO frames

- ▶ Suitable for both domestic and commercial applications


DESIGN



Description	Shiny White
Reference	55720350
EAN code	3375537202751
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush



Description	Brushed Aluminium
Reference	55720351
EAN code	3375537202768
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush




HOOPS



Description	Shiny White
Reference	55721304
EAN code	3375537212330
Packaging	Box
Multiple / boxed quantity	01/30
Water saving	Dual Flush

Description	Brushed Aluminium
Reference	55721305
EAN code	3375537212347
Packaging	Box
Multiple / boxed quantity	01/06
Water saving	Dual Flush





WirquinLtd



WirquinLtd





WirquinLtd



WirquinLtd UK

WETROOMS

THE NEW GENERATION OF
WETROOM CHANNEL



wirquin

VENISIO EXPERT

WETROOMS

VENISIO EXPERT



- › **REVERSIBLE FINISH:** Brushed stainless steel or tiled.
- › **REDUCED HEIGHT:** 89 mm under floor.
- › **WATER SEAL:** 50 mm.
- › **EASY MAINTENANCE:** With direct access to trap from above.
- › **ULTRA-FAST FLOW:** Through its multiple outlets (possibility of connecting several pipes).
- › **ADJUSTABLE FEET:** On ball joint for optimum adjustment (from 89 to 124mm).
- › **POST INSTALLATION GRID ADJUSTMENT:** To suit tile thickness from 8 to 16 mm thick.
- › **WATERPROOF:** Sheet (supplied) secured by adhesion and screws for a watertight seal.



Check out our
video tutorials
on ASSEMBLY





WETROOMS

10
YEARS
GUARANTEE



Description	700 MM	800 MM	900 MM	1100 MM
Reference	30723958	30723959	30723960	30723961
EAN code	3375537237937	3375537237944	3375537237951	3375537237968
Packaging	Box			
Multiple / boxed quantity	01/02			
Height adjustable	89 mm - 124 mm			
Water seal	50 mm			
Flow L/mn (under 20 mm)	Up to 79 L/mn			
Outlet	Multioutlet			
Grid	Brushed Stainless Steel or Tile Finish			

Technical drawing





WirquinLtd



WirquinLtd




WirquinLtd



WirquinLtd UK

SHOWER



SHOWER



wirquin

SLIM⁺

SHOWER WASTE Ø90 SLIM⁺



Chrome plated ABS dome



Brushed nickel dome



Brushed stainless steel grid




Black Touch dome

wirquin
Innovation

SMART Membrane Technology

- Cartridge is equipped with silicone membrane which opens when water passes and closes automatically afterwards, ensuring optimal drainage. Its external bi-injected washer guarantees a perfect seal. No more bad smells, no more pipe noises, no more back-siphoning.
- The independent hair catcher is removable from above, without removing the cartridge for quick and easy cleaning.
- Removable cartridge for deeper cleaning and direct access to the pipework.
- No more chemical product needed to clean your shower waste !



> EXTRA COMPACT:

Thanks to its small footprint, SLIM+ is ideal for low profile shower trays

> No smell guarantee:

The cartridge with silicone membrane creates a perfect barrier against bad smells


> Easy to CLEAN:

Easy cleaning from above thanks to the independent hair catcher and removable cartridge for even deeper cleaning

> NO LEAKS:

Bi-injected washer under the tray for installation to guarantee no leaks

Eco designed, SLIM+ contributes to preserving natural resources by fighting against leaks and encouraging smart cleaning without the use of chemical products. Thanks to its compactness the shower waste uses 30% less plastic compared to the first Slim generation. SLIM+ is manufactured in France with a new generation press that consumes 50% less electricity, packaged in the smallest recyclable cardboard and guaranteed for 10 years







SHOWER WASTE Ø90

5
YEARS
GUARANTEE

Description	SLIM+ STAINLESS STEEL FLAT GRID	SLIM+ BRUSHED NICKEL DOME	SLIM+ CHROME PLATED ABS DOME	SLIM+ BLACK TOUCH ABS DOME
Reference	30723398	30723397	30723374	30723786
EAN code	3375537232819	3375537232802	3375537232574	3375537236299
Packaging	Box	Box	Box	Box
Multiple / Pack	28 per outer / 560 per pallet	14 per outer / 350 per pallet	28 per outer / 560 per pallet	28 per outer / 560 per pallet
Height mm	40 mm	40 mm	40 mm	40 mm
Depth of seal	Waterless Trap Membrane	Waterless Trap Membrane	Waterless Trap Membrane	Waterless Trap Membrane
Flow rate l/mn (under 15mm of water)	32 L/mn	32 L/mn	32 L/mn	32 L/mn
Grid / dome	Brushed Stainless Steel Grid	Brushed Nickel Dome	Chrome Plated ABS Dome	Black Touch Dome

Technical drawing



SHOWER WASTES Ø90

SHOWER WASTES Ø50

FLUSH GRATED



SHOWER TRAY FEET

SHOWER WASTE Ø90

2
YEARS
GUARANTEE

Description	TOURBILLON D90 ABS DOME HORIZONTAL	TOURBILLON D90 BLACK TOUCH ABS DOME HORIZONTAL
Reference	30120662	30120734
EAN code	5017134148565	5017134149289
Packaging	Box	Box
Multiple / Pack	21 per outer / 420 per pallet	21 per outer / 420 per pallet
Height under tray mm	80 mm	80 mm
Depth of seal mm	50 mm	50 mm
Flow rate in l/mn (Under 15mm of water)	27 L/mn	27 L/mn
Grid / dome	ABS Chrome Dome	ABS Black Touch Dome

Technical drawing




SHOWER WASTE Ø50



Description	JAMES Ø50 - COMPRESSION MULTI-POSITIONING SHOWER WASTE	
Reference	30717457	
EAN code	3375537174546	
Packaging	Bag	
Multiple / Pack	30 per outer / 600 per pallet	
Height mm	83 mm horizontal position ; 123 mm vertical position	
Depth of seal mm	50 mm	
Flow rate in l/mn	51 L/mn horizontal position ; 83 L/mn vertical position	
Grid / dome	ABS Chrome Grid	

Technical drawing



SHOWER WASTES Ø90

SHOWER WASTES Ø50

FLUSH GRATED


SHOWER TRAY FEET

FLUSH GRATED Ø85



Description	1 1/2" CHROME PLATED BRASS, UNSLOTTED, PLASTIC BACKNUT
Reference	WFS57CP
EAN code	5024139101341
Packaging	Box
Multiple / Pack	36 per outer / 1440 per pallet
Tail length mm	88 mm

Technical drawing



SHOWER TRAY FEET


ACCESSORIES

SHOWER TRAY FEET



ADJUSTABLE FROM
88mm to 172mm

- › **ROBUST:** Each foot withstands 450kg.
- › **HEIGHT ADJUSTABLE:** From 88mm – 172mm
- › **ACCURATE SETTING:** Adjustment indicators for precision setting.
- › **STABILITY:** Non-slip pad.
- › **INCREASED SAFETY:** Each foot has four floor fixing points.



EASY HEIGHT ADJUSTMENT



Reference	30719767
EAN code	3375537196944
Packaging	Bag of 4
Multiple / boxed quantity	01/10



WirquinLtd



WirquinLtd




WirquinLtd



WirquinLtd UK


BATH



wirquin

SB600 + ELTON

CABLE WASTE **SB600 + ELTON**



- › **CABLE OPENING-CLOSING SYSTEM:** 90° rotation with unique clutch control operation (lifetime guaranteed)
- › **DESIGN OVERFLOW:** Round and square options.
- › **700 MM CABLE LENGTH:** With high resistance stainless steel cable inside the overflow tube to avoid damage during installation.
- › **EASY SET UP:** The self-centering washer retains the waste in position under the bath when the grid is being installed.
- › **SPACE SAVING COBRA TRAP:** Only 108mm under bath.
- › **FASTEAST FLOW RATE ON THE MARKET:** 63 L/m
- › **SELF CLEANING TRAP:** Guaranteed not to block.
- › **FLEXIBLE:** 40° movement and rotating trap to aid connection to the waste pipe.
- › **ONLY 2 CONNECTIONS POINTS:** 50% less chance of leak than a traditional 4 joint waste.
- › **DEPTH OF SEAL:** 56mm



› * in normal conditions of use

CABLE



Description	SB600	ELTON	METAL CHROME PLATED POP UP WASTE	METAL CHROME PLATED POP UP WASTE
Reference	34590301	30717610	WHP05CP	30719934
EAN code	3375539056215	3375537175901	5024139080516	5017134118995
Packaging	Box	Box	Box	Box
Multiple / Pack	12 per outer / 120 per pallet	12 per outer / 120 per pallet	16 per outer / 320 per pallet	11 per outer / 275 per pallet
Overflow length mm	700 mm	700 mm	600 mm	550 mm
Handle	Metal chrome plated	ABS chrome plated	Metal chrome plated	Metal chrome plated
Plug	Metal chrome plated	Metal chrome plated	Metal chrome plated	Metal chrome plated
Technical drawing				

QUICK CLAC



5
YEARS
GUARANTEE

Did you know?

WIRQUIN invented the
QUICK CLAC solution
in 1991



2
YEARS
GUARANTEE





ROTARY

2
YEARS
GUARANTEE



Description	QUICK CLAC WASTE - PLAIN DOME	QUICK CLAC WASTE - CLASSIC PLUG	ROTARY WASTE
Reference	SP760099	WHO95CP	WHO94CP
EAN code	3375536003953	5017134118360	5024139033550
Packaging	Bag	Box	Box
Multiple / Pack	12 per outer / 300 per pallet	24 per outer / 600 per pallet	24 per outer / 600 per pallet
Overflow length mm	700 mm	750 mm	750 mm
Handle	ABS Chrome Plated	Metal Chrome Plated	Metal Chrome Plated
Plug	Stainless Steel Mushroom Plug	Metal Chrome Plated	Metal Chrome Plated

Technical drawing



PLUG & CHAIN





Description	METAL PLUG, 18" CHAIN, PLUG TIDI OVERFLOW, PLASTIC BODY	METAL PLUG, 18" CHAIN, PLASTIC BODY	METAL PLUG, 18" CHAIN, METAL BODY
Reference	WHO01CP	WHO72CP	WHO32CP
EAN code	5024139352057	5024139006127	5024139089991
Packaging	Box	Bag	Box
Multiple / Pack	24 per outer / 480 per pallet	50 per outer / 600 per pallet	24 per outer / 600 per pallet
Overflow length mm	460	460	460
Plug	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm
Technical drawing			

PLUG & CHAIN



Description	POLY PLUG, 18" CHAIN, PLASTIC BODY	POLY PLUG, 18" CHAIN, PLASTIC BODY
Reference	SP5500	WHO73S
EAN code	3375530114211	5024139071743
Packaging	Box	Box
Multiple / Pack	55 per outer / 550 per pallet	30 per outer / 600 per pallet
Overflow length mm	500	455
Plug	Ø47 mm Length chain = 450 mm	Ø45 mm Length chain = 460 mm

Technical drawing



WASTES + TRAPS

2
YEARS
GUARANTEE

Description	CHROME PLATED BRASS BATH WASTE, POLY PLUG, 18" CHAIN + S HOOK	CHROME PLATED BRASS BATH WASTE, POLY PLUG	SWIVELLING BATH TRAP - 50MM WATER SEAL
Reference	WHK03CP	WHS03CP	30717611
EAN code	5024139088789	5017134119046	3375537175918
Packaging	Box	Box	Bag
Multiple / Pack	58 per outer / 2900 per pallet	58 per outer / 2900 per pallet	55 per outer / 1100 per pallet
Plug	Ø45 mm Length chain = 460 mm	Ø45 mm No chain	-
Technical drawing			



WirquinLtd



WirquinLtd



WirquinLtd



WirquinLtd UK

BASIN

WASTES



TRAPS



WASTE & TRAP IN ONE



NANO 6.7

WASTE + TRAP IN ONE

NANO 6.7



ULTRA COMPACT
6.7 CM



CHROMED FINISH



MATT BLACK FINISH



› **TOP ACCESS CLEANING:** Trap accessible from above.



› **WATERLESS MEMBRANE TRAP:** Replaces the traditional water seal giving total protection against back siphoning for a no smell guarantee.



› **ULTRA COMPACT:** Only 6.7cm high, more space under the basin.



› **INTEGRATED OVERFLOW SLOT:** Can be uncapped to suit installation



› **360° SWIVEL, ± 4° VERTICAL TILT:** Compensates for alignment faults and takes pressure off the pipes.



› **QUICK & SAFE:** Easy clip of the body: you can do it blind and with one hand! Leak-free installation: with 1/4 turn nut with overmoulded washer.



BEFORE



*Smartly
maximise
storage space
under your basin!*


AFTER

WASTE + TRAP IN ONE

10
YEARS
GUARANTEEBLACK
Touch
COLLECTION

Description	NANO 6.7 QUICK CLAC BASIN WASTE + TRAP, CHROME PLUG	NANO 6.7 QUICK CLAC BASIN WASTE + TRAP, MATT BLACK PLUG
Reference	30724233	30724237
EAN code	3375537240609	3375537240647
Packaging	Box	
Multiple / Pack	42 per outer / 1050 per pallet	
Seal	SILICONE MEMBRANE	
Flow rate l/mn	30 L/mn	
Height under basin mm	67 mm	

Technical drawing

wirquin
InnovationSMART MEMBRANE
TECHNOLOGY

The new generation Wirquin Cartridge replaces the traditional water seal. Patented, it is equipped with a new silicone membrane.



> **NO SMELLS:** the cartridge is equipped with a silicone membrane which opens when water passes and closes automatically afterwards. Its external bi-injected washer guarantees a perfect seal. No more bad smells, no more pipe noises, no more back-siphoning.



> **EASY TO CLEAN:** the membrane cartridge and plug are removable for quick and easy cleaning with soap and water and direct access to the pipework. It will also block insects.



UNSLOTTED

Suitable for standard basins without overflow.







5
YEARS
GUARANTEE

Did you know?

WIRQUIN invented the
QUICK CLAC solution
in 1991

Description	QUICK-CLAC - UNSLOTTED	QUICK-CLAC INTERIOR - UNSLOTTED	ROTARY PLUG - UNSLOTTED	FLUSH GRATED CURVED - UNSLOTTED	FLUSH GRATED 19 HOLES - UNSLOTTED	PLUG AND CHAIN - UNSLOTTED
Reference	30723104	30723418	30723428	30723423	30723421	30120603
EAN code	3375537229840	3375537233007	3375537233106	3375537233052	3375537233038	5017134147971
Packaging	Box	Box	Box	Box	Box	Box
Multiple / Pack	32 per outer / 1600 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet
Height mm	75 mm	75 mm	75 mm	75 mm	75 mm	75 mm
Backnut	Metal	Metal	Metal	Metal	Metal	Metal

Technical drawing










SLOTTED

Suitable for standard basins with overflow.

5
YEARS
GUARANTEE

Description	QUICK-CLAC - SLOTTED	QUICK-CLAC INTERIOR - SLOTTED	ROTARY PLUG - SLOTTED	ANTI VANDAL - SLOTTED	FLUSH GRATED CURVED - SLOTTED	METAL PLUG AND CHAIN - SLOTTED	PLUG AND CHAIN - SLOTTED
Reference	30120605	30120606	30120608	30120609	30120607	30120604	30120602
EAN code	5017134147995	5017134148008	5017134148022	5017134148039	5017134148015	5017134147988	5017134147964
Packaging	Box						
Multiple / Pack	32 per outer / 1600 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet	32 per outer / 1600 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet	40 per outer / 2000 per pallet
Height mm	75 mm	75 mm	75 mm	75 mm	75 mm	75 mm	75 mm
Backnut	Metal						

Technical drawing



PLUG & CHAIN




5
YEARS
GUARANTEE

PLUG & CHAIN + OVERFLOW



Description	POLY PLUG, SLOTTED, 2 WASHERS	POLY PLUG, SLOTTED	PLASTIC BODY BASIN VANITY WASTE WITH POLY PLUG, BALL CHAIN AND OVERFLOW
Reference	WBK04CP	WBK83SS	WBV21BA
EAN code	5024139093936	5024139004758	5024139080448
Packaging	Box	Bag	Bag
Multiple / Pack	58 per outer / 2320 per pallet	88 per outer / 2200 per pallet	30 per outer / 600 per pallet
Overflow length mm	-	-	230
Height mm	87 mm	83 mm	61 mm
Backnut	Plastic	Plastic	

Technical drawing





Lifetime guaranteed!

AIR SYSTEM

Integrated ventapipe

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning



QUICK-SAFE

Installation

- ✓ **ZERO** Leaks
- ✓ **ZERO** Hassle

EN 274

MADE IN
FRANCE

9
AWARDED



neo **AIR**


winquin **neo** Lifetime guaranteed!

AIR SYSTEM Integrated ventapipe

Prevents the suction of the water seal trap thanks to the membrane.

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning

Replaces the traditional anti-vacuum by creating natural ventilation in the pipes



9 AWARDED



BEFORE



AFTER

QUICK-SAFE Installation

Easy and quick installation 100% waterproof thanks to the bi-injected washer



- ✓ **ZERO** Leaks
- ✓ **ZERO** Hassle

TRAPS



Description	WIRQUIN NEO	WIRQUIN NEO AIR	WIRQUIN NEO AIR POS UNIT
Reference	30722167	30722169	30723762
EAN code	3375537220908	3375537220922	3375537236114
Packaging	Film	Film	Box
Multiple / Pack	50 per outer / 1000 per pallet	50 per outer / 1000 per pallet	20 per pos / 900 per pallet
Depth of seal mm	80 mm	80 mm	80 mm
Flow rate in l/mn (Under 15mm of water)	55.2 L/mn	55.2 L/mn	55.2 L/mn
Height mm	175>235 mm	175>235 mm	175>235 mm
Technical drawing	A technical line drawing of the WIRQUIN NEO trap. It shows a vertical cross-section with dimensions: top height 54<114, bottom height 121, and a side outlet labeled 0346-0364. A blue circle with a checkmark and an asterisk (*) is positioned to the right of the drawing.	A technical line drawing of the WIRQUIN NEO AIR trap. It shows a vertical cross-section with dimensions: top height 54<114, bottom height 121, and a side outlet labeled 0346-0364. A blue circle with a checkmark and an asterisk (*) is positioned to the right of the drawing.	

* suitable for ABS pipe, compression fit only


ALL IN ONE

UNIVERSAL

TRAP ALL IN ONE



Description	ALL IN ONE - WHITE
Reference	31180002
EAN code	3375537140435
Packaging	Bag
Multiple / Pack	45 per outer / 900 per pallet
Depth of seal mm	50 mm
Flow rate in l/mn (Under 15mm of water)	62 L/mn
Height mm	125 < 170 mm



› **UNIVERSAL:**

1 1/4" & 1 1/2" a single product to fit basin & sink.

› **OVERMOULDED WASHERS:**

A perfect seal without the need for washers.

› **TELESCOPIC:** Making it easy to install with existing pipework.

› **PUSH-FIT FUNCTION:**

Rapid installation.

› **EASY TO CLEAN:**

Simple rotation of the base.



SENZO

WATERLESS MEMBRANE TRAP

SENZO



› **FLEXIBLE:**
Easy to install with no effort - push fit.





› **WATERLESS SILICONE MEMBRANE TRAP:**
No smell guaranteed.



› **ULTRA COMPACT:**
Only 54mm in height with 90 degree elbow.



› **CAN BE INSTALLED VERTICALLY:**
For pedestal installations.



Description	SENZO WITH 90° ELBOW	SENZO FOR PEDESTAL INSTALLATION
Reference	31560006	30717469*
EAN code	3375537160167	3375537174669
Packaging	Bag	Bag
Multiple / Pack	55 per outer / 1100 per pallet	35 per outer / 1400 per pallet
Flow rate in l/mn (Under 15mm of water)	38 L/mn	62 L/mn (70 L/mn in vertical position)

► Available in 1 1/2" - see page 128.

*See Spares & Accessories section for adaptor

► Already have ABS pipe installed? 31560002 can also be used with ABS pipe using a solvent weld adaptor 39452002.
NB: The adaptor is not to be solvent welded to the Senzo, only the ABS pipe



BRASS TRAPS

YEARS
GUARANTEE
10



Description	LINEIS	TRADITIONAL	TRADITIONAL EXTENSION TUBE (PBT41CP)
Reference	30120018	PBT41CP	PET11CP
EAN code	5017134129069	5017134116793	5024139058133
Packaging	Box	Box	Bag
Multiple / Pack	15 per outer / 375 per pallet	22 per outer / 880 per pallet	70 per outer / 1750 per pallet
Depth of seal mm	75 mm	75 mm	-
Flow rate in l/mn (Under 15mm of water)	42 L/mn	40 L/mn	-
Height mm	162 < 230 mm	160 < 230 mm	200 mm
Technical drawing			

SINK



wirquin



Lifetime guaranteed!

AIR SYSTEM

Integrated ventapipe

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning



QUICK-SAFE

Installation

- ✓ **ZERO** Leaks
- ✓ **ZERO** Hassle



EN 274

MADE IN
FRANCE






neo **AIR**
Lifetime guaranteed!

AIR SYSTEM Integrated ventapipe

Prevents the suction of the water seal trap thanks to the membrane.

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning

Replaces the traditional anti-vacuum by creating natural ventilation in the pipes



9 AWARDED



BEFORE



AFTER

QUICK-SAFE Installation

Easy and quick installation 100% waterproof thanks to the bi-injected washer







- ✓ **ZERO** Leaks
- ✓ **ZERO** Hassle

BOTTLE TRAPS



Description	WIRQUIN NEO	WIRQUIN NEO WITH WMC	WIRQUIN NEO AIR	WIRQUIN NEO AIR WITH WMC
Reference	30722166	30120429	30722168	30120439
EAN code	3375537220892	5017134134223	3375537220915	5017134134230
Packaging	Film	Bag	Film	Bag
Multiple / Pack	50 per outer / 1000 per pallet	14 per outer / 560 per pallet	50 per outer / 1000 per pallet	14 per outer / 560 per pallet
Depth of seal	80 mm	80 mm	80 mm	80 mm
Flow rate (Under 15mm of water)	55.2 L/mn	59.9 L/mn	55.2 L/mn	59.9 L/mn
Height mm	175>235 mm	211>259 mm	175>235 mm	211>259 mm

Technical drawing



* suitable for ABS pipe, compression fit only

ALL IN ONE

UNIVERSAL

TRAP ALL IN ONE



Description	ALL IN ONE - WHITE	ALL IN ONE - WITH APPLIANCE SPIGOT
Reference	31180002	31190002
EAN code	3375537140435	3375537140442
Packaging	Bag	Bag
Multiple / Pack	45 per outer / 900 per pallet	40 per outer / 800 per pallet
Depth of seal mm	50 mm	50 mm
Flow rate in l/mn (Under 15mm of water)	62 L/mn	62 L/mn
Height mm	125 < 170 mm	165 < 200 mm



> UNIVERSAL:

1 1/4" & 1 1/2" a single product to fit basin & sink.



> ADJUSTABLE HEIGHT:

Making it easy to install and fit a range of different heights.



> OVERMOULDED WASHERS:

A perfect seal without the need for washers.





> PUSH-FIT FUNCTION:

Rapid installation.



> EASY TO CLEAN:

Simple rotation of the base.



SENZO

WATERLESS MEMBRANE TRAP

SENZO



Description	SENZO WITH 90° ELBOW
Reference	31160005
EAN code	3375537160150
Packaging	Bag
Multiple / Pack	40 per outer / 800 per pallet
Flow rate in l/mn (Under 15mm of water)	38 L/mn
Height mm	125 < 170 mm

Available in 1 1/4' - see page 121

> Already have ABS pipe installed? 31160002 can also be used with ABS pipe using a solvent weld adaptor 39452001.

NB: The adaptor is not to be solvent welded to the Senzo, only the ABS pipe.





SPACE SAVING TRAPS

5
YEARS
GUARANTEE

Description	ESPACE 1 BOWL	ESPACE 1 1/2" 2 BOWLS
Reference	31000201	33000203
EAN code	3375539056192	3375539056253
Packaging	Bag	Bag
Multiple / Pack	27 per outer / 540 per pallet	30 per outer / 300 per pallet
Depth of seal mm	50 mm	50 mm
Flow rate in l/mn	42 L/mn	

Technical drawing



SINK COMBINATION WASTES



BASKET STRAINERS

2
YEARS
GUARANTEE

Description	STAINLESS STEEL BASKET STRAINER WASTE WITHOUT OVERFLOW	STAINLESS STEEL BASKET STRAINER WASTE WITH OVERFLOW CONNECTION	STAINLESS STEEL BASKET STRAINER WASTE WITH OVERFLOW
Reference	SP2480050	WSB02SS	WSB70SS
EAN code	3375536019800	5024139064172	5024139058867
Packaging	Bag	Box	Box
Multiple / Pack	60 per outer / 1500 per pallet	30 per outer / 600 per pallet	30 per outer / 600 per pallet
Sink size mm	90 mm	90 mm	90 mm
Technical drawing			






BELFAST SINK

FLUSH GRATED Ø85




Description	POLY PLUG, UNSLOTTED	POLY PLUG, SLOTTED	POLY PLUG, UNSLOTTED	POLY PLUG, UNSLOTTED	1 1/2" CHROME PLATED BRASS, UNSLOTTED, PLASTIC BACKNUT
Reference	WSS23CP	WSS25CP	WSK23CP	WSS21CP	WFS57CP
EAN code	5024139101372	5024139069900	5024139082879	5024139094568	5024139101341
Packaging	Box	Box	Box	Box	Box
Multiple / Pack	33 per outer / 1320 per pallet	36 per outer / 1440 per pallet	36 per outer / 1440 per pallet	57 per outer / 2280 per pallet	36 per outer / 1440 per pallet
Height mm	88	86	86	37.5	88 mm
Backnut	Plastic	Plastic	Plastic	Plastic	Plastic

Technical drawing



WASTE SPARES + ACCESSORIES





wirquin

UPPY

UNIVERSAL PLUG

UPPY




> THE SMART 2 IN 1 PLUG FOR KITCHEN AND BATHROOM!

> 2 IN 1 PLUG: With integrated filter.

> UNIVERSAL PRODUCT FOR DEFECTIVE PLUGS: 110mm

> EASY TO CLEAN




Description	Reference	EAN code	Packaging	Multiple/Packaging
UPPY BLACK	30722894	3375537227761	Blister	42
UPPY WHITE	30722337	3375537222575	Blister	42

CATCHY

UNIVERSAL FILTER CATCHY

UNIVERSAL FILTER to
meet all your needs!

2
YEARS
GUARANTEE



Description	Reference	EAN code	Packaging	Box Qty	Pallet Qty
CATCHY SUSTAINABLE UNIVERSAL FILTER WHITE	30724769	3375537245833	Envelope	50	2500
CATCHY SUSTAINABLE UNIVERSAL FILTER BLACK	30724770	3375537245840	Envelope	50	2500
CATCHY SUSTAINABLE UNIVERSAL FILTER GREY	30724771	3375537245857	Envelope	50	2500

› **UNIVERSAL FILTER:** 110 mm reversible filter suitable for shower, bath, basin and sink.

› **SUSTAINABLE:** Made with more than 50% of recycled silicone. Soft and non-slip silicone that will not deform over time.

› **EFFICIENT SOLUTION TO CATCH HAIRS & RUBBISH:** The specific design traps waste before it can enter pipes and keeps the initial flow rate of your installation.

› **EASY TO CLEAN:** Practical tab for gripping the filter. The soft silicone is easier to clean than other stainless steel solutions.



PLUGS

2
YEARS
GUARANTEE

Description	BATH OR BASIN QUICK CLAC PLUG, STAINLESS STEEL	1 3/4" BATH POP UP PLUG, CHROME	1 1/4" BASIN POP UP PLUG, CHROME	1 1/4" POLY PLUG, BLACK	1 1/2" POLY PLUG, BLACK	UNIVERSAL PLUG GREY
Reference	SP9260	QHP13CP	QBP13CP	QBP01BL	QHP01BL	39224001
EAN code	3375536004745	5024139066343	5024139090676	5024139059239	5024139084804	3375537144594
Packaging	Bag	Bag	Bag	Loose	Loose	Blister
Multiple / boxed qty	01/100	01/108	01/150	01/350	01/800	01/240

TAP HOLE STOPPERS

2
YEARS
GUARANTEE

CHAINS

2
YEARS
GUARANTEE

Description	TAP HOLE STOPPER, PLASTIC CHROME	TAP HOLE STOPPER, PLASTIC WHITE
Reference	QTH01CP	QTH01WH
EAN code	5024139356222	5024139356253
Packaging	Bag	Bag
Multiple / boxed qty	01/300	01/300

10" BASIN BALL CHAIN + STAY, CHROME	18" BATH BALL CHAIN + S HOOK, CHROME
30120627	QHK01CP
5017134148213	5024139093141
Bag	Bag
01/1000	01/1000

ADAPTORS



2
YEARS
GUARANTEE

WASTE CONNECTORS

2
YEARS
GUARANTEE

Description	Ø40MM TO Ø1 1/2" - EU TO UK CONVERSION ADAPTOR	Ø32MM TO Ø1 1/4" - EU TO UK CONVERSION ADAPTOR	1 1/4" COMPRESSION ADAPTOR FOR VERTICAL SENZO 30717469
Reference	39452001	39452002	30720532
EAN code	3375539056208	3375537162970	3375537204557
Packaging	Bulk	Bulk	Bag
Multiple / boxed quantity	01/440	01/350	01/300

1 1/4" EXTENDABLE CONNECTOR X Ø32MM OUTLET, SUPPLIED WITH FIXING HOOK	1 1/2" EXTENDABLE CONNECTOR X Ø40MM OUTLET, SUPPLIED WITH FIXING HOOK
73130001	73150001
3375536033578	3375536033592
Bag	Bag
01/120	01/100





WirquinLtd



WirquinLtd



WirquinLtd



WirquinLtd UK

WASTE, PIPE + PAN CONNECTORS






wirquin

JOLLYFLEX EXTENDABLE



Description	EXTENDABLE UNIVERSAL	JOLLYFLEX EXTENDABLE LONG	JOLLYFLEX EXTENDABLE SHORT
Reference	70120613	70120716	70120715
EAN code	5017134148077	5017134149104	5017134149098
Packaging	Bag	Box	Box
Multiple / Pack	15 per outer / 300 per pallet	15 per outer / 300 per pallet	15 per outer / 375 per pallet
Length mm	260mm < 650mm	300mm < 640mm	200mm < 340mm
Pan outlet mm	Ø80 < Ø105	Ø80 < Ø105	Ø80 < Ø105
Drain connector mm	Push fit Ø104 < Ø110 Solvent weld Ø93 / Ø100 / Ø110	Suitable for 110mm soil pipe	Suitable for 110mm soil pipe



RIGID



Description	SWAN NECK PAN CONNECTOR	90° PAN CONNECTOR	90° PAN CONNECTOR	PAN CONNECTOR EXTENSION PIECE
Reference	71240201	71240001	70719117	71250001
EAN code	3375537130696	3375537130672	5017134106114	3375537130702
Packaging	Bulk	Bulk	Bag	Bulk
Multiple / Pack	10 per outer / 200 per pallet	16 per outer / 160 per pallet	12 per outer / 300 per pallet	30 per outer / 300 per pallet
Length mm	350mm	305mm	297mm	90mm < 245mm
Pan outlet mm	Ø85 < Ø105	Ø80 < Ø105	Ø85 < Ø105	-
Drain connector mm	Push fit Ø104 < Ø110			
Technical drawing				

SHORT CONNECTORS



Description	STRAIGHT PAN CONNECTOR	14° ANGLED PAN CONNECTOR
Reference	70719116	70719941
EAN code	5017134106077	5017134106091
Packaging	Bag	Bag
Multiple / Pack	30 per outer / 600 per pallet	30 per outer / 600 per pallet
Length mm	125mm	150mm
Pan outlet mm	Ø85 < Ø105	Ø85 < Ø105
Drain connector mm	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110
Technical drawing		

MAGICFLEX®

PIPE CONNECTORS MAGICFLEX® THE FLEXIBLE PIPE CONNECTOR



› AVAILABLE IN SEVERAL VERSIONS:

1 1/2" and 1 1/4" solvent weld: Female-Female.

› NO MORE ANGLE CALCULATIONS: Thanks to its flexible structure, it can take on the desired angle from 0° to 180° and on two different levels in the space available.

› IT CAN COMPENSATE FOR MISALIGNMENT BETWEEN TWO PIPES: It can be compressed for installation on pipes already in place, or in places with difficult access. Its flexible body absorbs contraction and expansion.

› MANUFACTURED IN PVC: Magicflex® connectors can resist detergents (bleach, washing-up liquid, washing powder, drain unblocker, etc.)

› THE SAME GREY COLOUR AS USED IN PVC WASTE SYSTEMS: It can be unobtrusively fitted into the installation.

BEFORE



AFTER







SOLVENT WELD



Description	1 1/4" WHITE	1 1/2" WHITE	1 1/4" GREY	1 1/2" GREY
Reference	79009007	79008006	79009301	79008301
EAN code	3375539051968	3375539051951	3375537127214	3375537127221
Packaging	Bulk	Bulk	Bulk	Bulk
Multiple / Box qty	10/150	10/90	10/150	10/90

Technical drawing



WASTE CONNECTORS



Description	1 1/4" EXTENDABLE CONNECTOR	1 1/2" EXTENDABLE CONNECTOR
Reference	73130001	73150001
EAN code	3375536033578	3375536033592
Packaging	Bag	Bag
Multiple / Pack	120 per outer / 1200 per pallet	100 per outer / 1000 per pallet
Technical drawing		



WirquinLtd



WirquinLtd



WirquinLtd



WirquinLtd UK



PLUMBING - SANITARYWARE

WIRQUIN LTD

Unit 3, Alpha Court, Capitol Park, Thorne, DN8 5TZ - UK
T: +44(0) 333 222 4488 | Email: sales@wirquin.co.uk



www.wirquin.co.uk



wirquin

PLUMBING - SANITARYWARE



www.wirquin.co.uk

Customer services: 0333 222 4488